

US00D525795S

(12) **United States Design Patent**
Sanford-Schwentke

(10) **Patent No.:** **US D525,795 S**

(45) **Date of Patent:** **** Aug. 1, 2006**

(54) **ROCKING COT**

(75) **Inventor:** **Anthony Sanford-Schwentke,**
Burgdorg (GB)

(73) **Assignee:** **North Pole Limited, Kowloon (HK)**

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/205,664**

(22) **Filed:** **May 18, 2004**

(51) **LOC (8) Cl.** **06-01**

(52) **U.S. Cl.** **D6/348; D6/361**

(58) **Field of Classification Search** D6/334-336,
D6/344, 348, 361, 367, 368, 371-373, 374,
D6/375, 379, 380, 500-502; 297/258.1, 271.5,
297/271.6, 272.1, 351, 377, 452.13, 440.1,
297/16.1, 19, 20, 22, 31, 32, 35; 5/110, 112,
5/114; D21/688

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | | |
|-----------|---|---|---------|--------------|-------|---------|
| 207,060 | A | * | 8/1878 | de Morambert | | 5/114 |
| 295,971 | A | * | 4/1884 | Bakewell | | 297/377 |
| 326,968 | A | * | 9/1885 | Gibson | | 297/377 |
| 625,112 | A | * | 5/1899 | Lein | | 5/110 |
| 1,185,181 | A | * | 5/1916 | Collins | | 5/112 |
| 1,378,505 | A | * | 5/1921 | White | | 297/19 |
| 1,549,934 | A | * | 8/1925 | Vanek et al. | | 5/114 |
| 2,017,599 | A | * | 10/1935 | Lehner | | 297/32 |
| 2,216,317 | A | * | 10/1940 | Karish | | 297/19 |
| 2,543,543 | A | * | 2/1951 | Gomes et al. | | 297/20 |
| 2,651,352 | A | * | 9/1953 | Beardsley | | 297/19 |
| 3,716,271 | A | * | 2/1973 | Kutz | | 297/19 |

| | | | | | | |
|--------------|----|---|---------|-----------------|-------|-----------|
| 4,047,753 | A | * | 9/1977 | Uchida | | 297/32 |
| 4,083,068 | A | * | 4/1978 | Bohme | | 297/377 |
| 4,684,170 | A | * | 8/1987 | Colby | | 297/19 |
| 5,246,265 | A | * | 9/1993 | Nagan et al. | | 297/31 |
| 5,823,617 | A | * | 10/1998 | Schafer | | 297/31 |
| 6,079,777 | A | * | 6/2000 | Simmons et al. | | 297/31 |
| 6,134,727 | A | * | 10/2000 | Hwang | | 5/114 |
| 6,213,555 | B1 | * | 4/2001 | Sulpizio et al. | | 297/377 |
| 6,257,660 | B1 | * | 7/2001 | Calvey | | 297/16.1 |
| 6,370,714 | B1 | * | 4/2002 | Elzenbeck | | 5/110 |
| 6,676,206 | B1 | * | 1/2004 | Brandschain | | 297/32 |
| 6,926,356 | B1 | * | 8/2005 | Chen | | 297/35 |
| 6,955,398 | B1 | * | 10/2005 | Reese | | 297/271.6 |
| 2003/0214159 | A1 | * | 11/2003 | Brandschain | | 297/32 |
| 2004/0034929 | A1 | * | 2/2004 | Hwang | | 5/114 |
| 2005/0022303 | A1 | * | 2/2005 | Chen | | 5/110 |

* cited by examiner

Primary Examiner—Mimosa De


(57) **CLAIM**

The ornamental design of a rocking cot, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing of a rocking cot incorporating the new design;
FIG. 2 is a slightly enlarged front elevation view thereof;
FIG. 3 is a slightly enlarged rear elevation view thereof;
FIG. 4 is a top plan view thereof; and,
FIG. 5 is a right side elevation view thereof, the left side being a mirror image thereof.
The broken lines are shown for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5