



US00D525874S

(12) **United States Design Patent**  
**Kipperman et al.**

(10) **Patent No.:** **US D525,874 S**

(45) **Date of Patent:** **\*\* Aug. 1, 2006**

(54) **CONTAINER**

(75) Inventors: **Stuart R. Kipperman**, Evansville, IN (US); **Cathy O. Smay**, Newburgh, IN (US)

(73) Assignee: **Bristol-Myers Squibb Company**, Princeton, NJ (US)

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/222,720**

(22) **Filed:** **Feb. 2, 2005**

(51) **LOC (8) Cl.** ..... **09-01**

(52) **U.S. Cl.** ..... **D9/529; D9/560; D9/574**

(58) **Field of Classification Search** ..... D9/424, D9/428, 500, 502-504, 509-511, 513, 516, D9/529-530, 537, 543, 548-549, 555, 560, D9/568, 571, 575, 539, 574; D28/73, 76, D28/91; D7/543, 601-603, 612, 529; 215/12.2, 215/13.1, 381-385, 396, 398, 400; 220/669, 220/675-676

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|            |   |         |                 |       |        |
|------------|---|---------|-----------------|-------|--------|
| D221,169 S | * | 7/1971  | Benes           | ..... | D7/584 |
| D225,730 S | * | 1/1973  | Peterson        | ..... | D9/529 |
| D226,552 S | * | 3/1973  | Smythe          | ..... | D9/541 |
| D241,917 S | * | 10/1976 | Borum           | ..... | D9/452 |
| D256,669 S | * | 9/1980  | Mitchell        | ..... | D9/428 |
| D259,625 S | * | 6/1981  | Hamilton et al. | ..... | D9/428 |
| D359,201 S | * | 6/1995  | Hung            | ..... | D7/612 |
| D370,300 S | * | 5/1996  | Gottvald et al. | ..... | D7/603 |
| D405,609 S | * | 2/1999  | Fu et al.       | ..... | D3/302 |
| D453,892 S | * | 2/2002  | Lindsay et al.  | ..... | D7/596 |

|            |   |        |                |       |        |
|------------|---|--------|----------------|-------|--------|
| D456,265 S | * | 4/2002 | Spear          | ..... | D9/502 |
| D474,377 S | * | 5/2003 | Holsinger      | ..... | D9/529 |
| D474,651 S | * | 5/2003 | Ward           | ..... | D9/529 |
| D475,929 S | * | 6/2003 | Bakic          | ..... | D9/560 |
| D491,069 S | * | 6/2004 | Heliste et al. | ..... | D9/560 |
| D502,396 S | * | 3/2005 | Frisch et al.  | ..... | D9/503 |

**OTHER PUBLICATIONS**

(Pending) U.S. Appl. No. 29/206,122 filed May 26, 2004.  
(Pending) U.S. Appl. No. 60/574,411 filed May 26, 2004.  
(Pending) U.S. Appl. No. 29/206,084 filed May 26, 2004.  
(Pending) U.S. Appl. No. 29/206,083 filed May 26, 2004.  
(Pending) U.S. Appl. No. 29/206,079 filed May 26, 2004.

\* cited by examiner

*Primary Examiner*—Ian Simmons

*Assistant Examiner*—Dana Sipos

(74) *Attorney, Agent, or Firm*—Nelson Mullins Riley & Scarborough

(57) **CLAIM**

The ornamental design for a container, substantially as shown and described.

**DESCRIPTION**



FIG. 1 is a perspective view of a container embodying the design of the present invention;


FIG. 2 is a front elevational view of the container illustrated in FIG. 1, the rear elevational view being identical to the front view;

FIG. 3 is a left side elevational view of the container illustrated in FIG. 1, the right side elevational view being identical to the left side; and,


FIG. 4 is a top plan view of the container illustrated in FIG. 1.

**1 Claim, 3 Drawing Sheets**







***Fig. 1***



**Fig. 2**



**Fig. 3**



***Fig. 4***