

US00D525971S

(12) **United States Design Patent**  
**Ayala et al.**

(10) **Patent No.:** **US D525,971 S**

(45) **Date of Patent:** **\*\* Aug. 1, 2006**

(54) **COMBINATION ELECTRONIC ACCESSORY BOX AND MOUNTING BASE**

(75) Inventors: **Gerardo David Ayala**, Provo, UT (US); **Michael S. Horito**, Provo, UT (US); **Jonathan Jay Woolley**, Draper, UT (US); **Roger T. Johnsen**, Salt Lake City, UT (US); **Thomas W. Peterson**, Taylorsville, UT (US)

(73) Assignee: **Control4 Corporation**, Draper, UT (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/212,790**

(22) Filed: **Sep. 7, 2004**

(51) **LOC (8) Cl.** ..... **14-02**

(52) **U.S. Cl.** ..... **D14/356**

(58) **Field of Classification Search** ..... D14/137, D14/142, 240-3, 256, 299, 353, 356-7, 368, D14/433-5, 156, 167, 301, 319, 323, 348, D14/359-61, 363, 366-367, 380, 385, 432, D14/436, 440-2, 444, 447, 496, 332; D13/123, D13/152, 184; 455/73, 90.3, 151.1-4, 347, 455/554.1, 90.1; 379/413.04; 220/4.01-4.02; 361/360, 365, 369, 685; 710/63, 74; 711/100; D21/332

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D307,136 S \* 4/1990 Boyer et al. .... D14/388  
D309,731 S \* 8/1990 Takai ..... D14/242  
D342,073 S \* 12/1993 Nakamura et al. .... D14/256

D346,593 S \* 5/1994 Mizusugi et al. .... D14/368  
D354,737 S \* 1/1995 Fladung ..... D13/164  
D390,201 S \* 2/1998 Murphy ..... D14/388  
D396,030 S \* 7/1998 Murphy ..... D14/388  
D405,799 S \* 2/1999 Ino ..... D14/240  
D464,339 S \* 10/2002 Tomino et al. .... D14/240  
D494,171 S \* 8/2004 Kanatani et al. .... D14/356

\* cited by examiner

*Primary Examiner*—Robin Webster

*Assistant Examiner*—Karen E. Patterson

(74) *Attorney, Agent, or Firm*—Thorpe North & Western LLP


(57) **CLAIM**


What is claimed is the ornamental design for a combination electronic accessory box and mounting base, as shown and described herein.

**DESCRIPTION**


FIG. 1 is a perspective view of the electronic accessory box in accordance with our invention;  
FIG. 2 is a front view of the accessory box thereof;  
FIG. 3 is a side view of the accessory box thereof;  
FIG. 4 is an opposing side view of the accessory box thereof;  
FIG. 5 is a top view of the accessory box thereof;  
FIG. 6 is a bottom view of the accessory box thereof;  
FIG. 7 is a perspective view of the mounting base in accordance with our invention;  
FIG. 8 is a side view of the mounting base thereof;  
FIG. 9 is a top view of the mounting base thereof;  
FIG. 10 is a front view of the extender base thereof; and,  
FIG. 11 is a top view of the combination electronic accessory box & mounting base of our invention as shown.

**1 Claim, 11 Drawing Sheets**







**Fig. 1**




**Fig. 2**




***Fig. 3***




**Fig. 4**



**Fig. 5**




**Fig. 6**



**Fig. 7**







**Fig. 8**



**Fig. 9**



***Fig. 10***



**Fig. 11**