

US00D526034S

(12) **United States Design Patent**
Davis et al.

(10) **Patent No.:** **US D526,034 S**

(45) **Date of Patent:** **** Aug. 1, 2006**

(54) **VENEER BALL BAT**

(76) Inventors: **Marc Christian Davis**, 6736 Lakeview Ter., Hickory, NC (US) 28061; **Walter Dennis Davis**, 32 Crestview St., Granite Falls, NC (US) 28630; **Wallace Jay Davis**, 3083 Spencer Trail, Lenoir, NC (US) 28645

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/222,721**

(22) **Filed:** **Feb. 3, 2005**

Related U.S. Application Data

(62) Division of application No. 10/606,987, filed on Jun. 26, 2003.

(51) **LOC (8) Cl.** **21-02**

(52) **U.S. Cl.** **D21/725**

(58) **Field of Classification Search** D21/725;
473/564-568, 520; 428/106

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

813,400	A	*	2/1906	Buehler	473/564
1,450,646	A	*	4/1923	Sadenwater	473/564
3,469,839	A	*	9/1969	Pietronuto et al.	473/564
3,479,030	A	*	11/1969	Merola	473/520
4,331,330	A	*	5/1982	Worst	473/564
4,689,257	A	*	8/1987	Baum	428/106
5,395,108	A	*	3/1995	Souders et al.	473/567
5,490,669	A	*	2/1996	Smart	473/564
5,620,179	A	*	4/1997	MacKay, Jr.	473/564
6,007,440	A	*	12/1999	Bender et al.	473/564

6,139,451	A	*	10/2000	Hillerich et al.	473/564
6,383,100	B1	*	5/2002	Pitsenberger et al.	473/566
6,776,735	B1	*	8/2004	Belanger et al.	473/567

* cited by examiner

Primary Examiner—Mitchell Siegel

(74) *Attorney, Agent, or Firm*—Monty Simmons

(57) **CLAIM**

The ornamental design for a veneer ball bat, as shown and described.

DESCRIPTION

The present technology relates to a veneer ball bat having at least two individual veneer laminations constructed from different types of materials.

FIG. 1 is a top view of a veneer ball bat;
 FIG. 2 is a bottom view thereof;
 FIG. 3 is a left side view thereof;
 FIG. 4 is a right side view thereof;
 FIG. 5 is a barrel end view of FIG. 1;
 FIG. 6 is a handle end view of FIG. 1;
 FIG. 7 is a top view of a second embodiment of the bat of FIG. 1;
 FIG. 8 is a bottom view of FIG. 7;
 FIG. 9 is a left side view of FIG. 7;
 FIG. 10 is a right side view of FIG. 7;
 FIG. 11 is a barrel end view of FIG. 7;
 FIG. 12 is a handle end view of FIG. 7.
 FIG. 13 is a left side view of a third embodiment of the bat of FIG. 1;
 FIG. 14 is a right side view of FIG. 13;
 FIG. 15 is a barrel end view of FIG. 13; and,
 FIG. 16 is a handle end view of FIG. 13.

1 Claim, 8 Drawing Sheets






Fig. 1




Fig. 2



Fig. 3



Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13



Fig. 14




Fig. 15




Fig. 16