



US00D526041S

(12) **United States Design Patent**  
**Meier et al.**

(10) **Patent No.:** **US D526,041 S**

(45) **Date of Patent:** **\*\* Aug. 1, 2006**

(54) **FISHING DEVICE CONTAINER**

(76) Inventors: **Walter Louis Meier**, 8430 Lanier Dr.,  
Cumming, GA (US) 30041; **Thomas V. Chorey, Jr.**, 2 Arden Moor, NW.,  
Atlanta, GA (US) 30305

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/233,089**

(22) Filed: **Jun. 28, 2005**

**Related U.S. Application Data**

(63) Continuation-in-part of application No. 10/377,355, filed on  
Feb. 28, 2003, which is a continuation of application No.  
09/340,911, filed on Jun. 28, 1999, now Pat. No. 6,574,906.

(51) **LOC (8) Cl.** ..... **22-05**

(52) **U.S. Cl.** ..... **D22/134**

(58) **Field of Classification Search** ..... D22/134,  
D22/126, 144, 199; 43/25.2, 25, 57.1; D3/260;  
206/315.11

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D360,675 S	*	7/1995	Tameo	.....	D22/126
D402,807 S	*	12/1998	Brown	.....	D3/260
D475,432 S	*	6/2003	LaLande	.....	D22/126
6,711,847 B1	*	3/2004	Udelhoven	.....	43/25.2
2004/0250462 A1	*	12/2004	Trebil	.....	43/25.2

\* cited by examiner

*Primary Examiner*—Catherine R. Oliver

(74) *Attorney, Agent, or Firm*—Harold L. Marquis; James  
W. Kayden; Thomas, Kayden Horstemeyer & Risley LLP

(57) **CLAIM**

The ornamental design for a fishing device container, as  
shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a fishing device container  
showing our new design, a pocketed transparent container  
suited with releasable fasteners for storage of a lure also an  
enclosure for a rod. The lure, rod and reel being shown in  
broken lines and forming no part of the claimed design;

FIG. 2 is a perspective view of the container shown in FIG.  
1 with the container fastened at another location on the rod;  
FIG. 3 is a perspective view of the container shown in FIG.  
1 with the lure, rod and reel removed;

FIG. 4 is a perspective view of the pocketed transparent  
container shown in FIG. 1 that is opened or unwrapped;  
FIG. 5 is a bottom plan view of the unwrapped pocketed  
transparent container shown in FIG. 4;

FIG. 6 is a side elevational view of the unwrapped pocketed  
transparent container shown in FIG. 4;

FIG. 7 is a perspective view of an alternative embodiment of  
the unwrapped pocketed container shown in FIG. 4 in which  
the container is opaque;


FIG. 8 is a bottom plan view of the unwrapped pocketed  
opaque container shown in FIG. 7;


FIG. 9 is a side elevational view of the unwrapped pocketed  
opaque container shown in FIG. 7;

FIG. 10 is a top plan view of the unwrapped pocketed  
opaque container shown in FIG. 7; and,


FIG. 11 is another side elevational view of the unwrapped  
pocketed opaque container shown in FIG. 7.

**1 Claim, 8 Drawing Sheets**






**FIG 1**




**FIG 2**




**FIG 3**




**FIG 4**




**FIG 5**




**FIG 6**



**FIG 7**




**FIG 8**




**FIG 9**





**FIG 10**



**FIG 11**