



US00D526122S

(12) **United States Design Patent** (10) **Patent No.:** **US D526,122 S**  
**Dodds** (45) **Date of Patent:** **\*\* Aug. 8, 2006**

(54) **BASKET**

(76) Inventor: **Russell E. Dodds**, 149 Old Dublin Rd., Peterborough, NH (US) 03458

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/205,735**

(22) Filed: **May 19, 2004**

(51) **LOC (8) Cl.** ..... **03-01**

(52) **U.S. Cl.** ..... **D3/277**

(58) **Field of Classification Search** ..... D3/273,  
D3/276-277, 287, 306; D7/605-606; 217/122,  
217/128

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

2,537,725	A	*	1/1951	Watson	.....	217/122
D177,938	S	*	6/1956	Rosenberg	.....	D3/242
D177,939	S	*	6/1956	Rosenberg	.....	D3/242
2,787,821	A	*	4/1957	Shukait	.....	264/219
D240,888	S	*	8/1976	Roussel	.....	D7/605
D365,207	S	*	12/1995	Lacy	.....	D3/273
D385,698	S	*	11/1997	Lacy	.....	D3/277
D390,359	S	*	2/1998	Lacy	.....	D3/306
D396,748	S	*	8/1998	Dodds	.....	D3/277
D416,683	S	*	11/1999	Lacy et al.	.....	D3/306
D434,227	S	*	11/2000	Lacy et al.	.....	D3/306
D443,984	S	*	6/2001	Lacy et al.	.....	D3/309
D463,913	S	*	10/2002	Lacy et al.	.....	D3/306
D469,610	S	*	2/2003	Corp et al.	.....	D3/306
D471,015	S	*	3/2003	Lacy et al.	.....	D3/307

\* cited by examiner

*Primary Examiner*—Philip S. Hyder

*Assistant Examiner*—RoseLynne Ulm

(74) *Attorney, Agent, or Firm*—William B. Ritchie

(57) **CLAIM**

The ornamental design for basket, as shown.

**DESCRIPTION**

FIG. 1 is an isometric view of the preferred embodiment in accordance with the invention.

FIG. 2 is a front view.

FIG. 3 is a front view showing the handle in the raised position.

FIG. 4 is a rear view.

FIG. 5 is right side view.

FIG. 6 is a left side view.

FIG. 7 is top view.

FIG. 8 is a top view with the basket cover open.

FIG. 9 is a bottom view.

FIG. 10 is a left or right side view of the foam insulating liner removed.

FIG. 11 is a front or rear view of the foam insulating liner.

FIG. 12 is a top perspective view of the foam insulating liner with the cover removed.

FIG. 13 is a top perspective view of the foam insulating liner with the cover in place.

FIG. 14 is bottom view of the foam insulating liner.

FIG. 15 is a top perspective view of the preferred embodiment with the foam insulating liner removed; and,

FIG. 16 is an isometric view showing the handle in the raised position.

**1 Claim, 10 Drawing Sheets**




Fig 1




Fig 16




Fig. 2



Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11






Fig. 12





Fig. 13



**Fig. 14**




Fig. 15

