



US00D526174S

(12) **United States Design Patent** (10) **Patent No.:** **US D526,174 S**
Hermann (45) **Date of Patent:** **** Aug. 8, 2006**

(54) **HAND TOOL**

(75) Inventor: **John Hermann**, Las Vegas, NV (US)

(73) Assignee: **JS Products, Inc.**, Las Vegas, NV (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/238,941**

(22) Filed: **Sep. 23, 2005**

(51) **LOC (8) Cl.** **08-05**

(52) **U.S. Cl.** **D8/52**

(58) **Field of Classification Search** D8/22,
D8/51-55; 81/300-302, 305-306, 315-316,
81/330, 355, 416, 319, 367-383.5, 900; 428/552;
7/107, 125

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|-----|---------|-----------------|----------|
| 1,503,536 | A | 8/1924 | Klauke | |
| 3,760,473 | A | 9/1973 | Studdard | 29/78 |
| 4,778,730 | A | 10/1988 | Zucker | 428/552 |
| 4,950,365 | A | 8/1990 | Evans | 204/38.7 |
| 5,118,372 | A | 6/1992 | Spahn | 156/160 |
| 5,257,558 | A | 11/1993 | Farzin-Nia | 81/418 |
| 5,279,140 | A | 1/1994 | Blake et al. | 72/31 |
| D343,779 | S * | 2/1994 | Imhoff | D8/52 |
| D370,161 | S * | 5/1996 | Snyder | D8/52 |
| D398,497 | S * | 9/1998 | Gomas | D8/52 |
| 5,992,273 | A * | 11/1999 | Galea | 81/368 |
| D418,030 | S * | 12/1999 | Khachatoorian | D8/52 |
| D421,207 | S * | 2/2000 | Panier | D8/52 |
| 6,024,000 | A | 2/2000 | Goldmann | 81/427.5 |
| 6,199,458 | B1 | 3/2001 | Wrigley et al. | 81/319 |
| D457,040 | S * | 5/2002 | Hirschfeld | D8/4 |
| D470,373 | S * | 2/2003 | Ferreria et al. | D8/52 |
| D490,288 | S * | 5/2004 | Griffin | D8/52 |
| D490,673 | S * | 6/2004 | Sprouse | D8/52 |
| 6,748,617 | B1 | 6/2004 | Toyce et al. | 7/129 |
| 6,862,959 | B1 | 3/2005 | Wu | 81/300 |

* cited by examiner

Primary Examiner—Pamela Burgess

(74) *Attorney, Agent, or Firm*—Standley Law Group LLP

(57) **CLAIM**

The ornamental design for a hand tool, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a hand tool showing one embodiment of my new design;

FIG. 2 is a front elevation view thereof;

FIG. 3 is a back elevation view thereof;

FIG. 4 is a left side elevation view thereof;

FIG. 5 is a right side elevation view thereof;

FIG. 6 is a top plan view thereof;

FIG. 7 is a bottom plan view thereof;

FIG. 8 is a perspective view of a hand tool showing a second embodiment of my new design;

FIG. 9 is a front elevation view thereof;

FIG. 10 is a back elevation view thereof;

FIG. 11 is a left side elevation view thereof;

FIG. 12 is a right side elevation view thereof;

FIG. 13 is a top plan view thereof;

FIG. 14 is a bottom plan view thereof;

FIG. 15 is a perspective view of a hand tool showing a third embodiment of my new design;

FIG. 16 is a front elevation view thereof;

FIG. 17 is a back elevation view thereof;

FIG. 18 is a left side elevation view thereof;

FIG. 19 is a right side elevation view thereof;


FIG. 20 is a top plan view thereof; and,

FIG. 21 is a bottom plan view thereof.

It is understood that the line shading pattern on the front and rear surfaces of embodiments 2 and 3 represent a brushed metal surface.

The broken lines shown in the drawings are for illustrative purposes only and form no part of the claimed design.

1 Claim, 9 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 7




Fig. 6




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16




Fig. 17




Fig. 18



Fig. 19




Fig. 20




Fig. 21