



US00D526187S

(12) **United States Design Patent**  
**Farrell et al.**

(10) **Patent No.:** **US D526,187 S**

(45) **Date of Patent:** **\*\* Aug. 8, 2006**

(54) **STRIKER COVER**

D495,237 S \* 8/2004 Tozer ..... D8/343  
D508,195 S \* 8/2005 Pack et al. .... D8/302

(75) Inventors: **Shelley Ellen Farrell**, Brisbane (AU);  
**Garth Colin Keightley**, Brisbane (AU)

\* cited by examiner

(73) Assignee: **Assa Abloy New Zealand Limited**,  
Wellington (NZ)

*Primary Examiner*—Prabhakar Deshmukh  
(74) *Attorney, Agent, or Firm*—Blakely Sokoloff Taylor &  
Zafman

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/228,925**

The ornamental design for a striker cover, as shown and  
described.

(22) Filed: **Apr. 28, 2005**

**DESCRIPTION**

(30) **Foreign Application Priority Data**

Oct. 29, 2004 (NZ) ..... 405449

(51) **LOC (8) Cl.** ..... **08-07**

(52) **U.S. Cl.** ..... **D8/343; D8/331**

(58) **Field of Classification Search** ..... D8/330,  
D8/331, 343, 339, 341, 342, 302, 300; 292/137,  
292/157, 163, 171, 175, 150, DIG. 30  
See application file for complete search history.

FIG. 1 is a front perspective view of the striker cover  
showing our new design;  
FIG. 2 is a perspective view of the striker cover of FIG. 1,  
as seen from the rear of FIG. 1;  
FIG. 3 is a top plan view of the striker cover of FIG. 1;  
FIG. 4 is an end elevation of the striker cover as seen from  
the left side of FIG. 3;  
FIG. 5 is an end elevation of the striker cover as seen from  
the right side of FIG. 3;  
FIG. 6 is a bottom plan view of the striker cover of FIG. 3;  
FIG. 7 is a front elevation of the striker cover as seen from  
the bottom of FIG. 3; and,  
FIG. 8 is a rear elevation of the striker cover as seen from  
above FIG. 3.


(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D176,039 S \* 11/1955 Rodale et al. .... D8/350  
D191,920 S \* 12/1961 Hale et al. .... D8/302  
4,736,972 A \* 4/1988 Mosch ..... 292/204  
D338,608 S \* 8/1993 Martin et al. .... D8/302  
D392,099 S \* 3/1998 Wang ..... D3/318  
6,079,527 A \* 6/2000 Kuo ..... 190/115  
6,173,592 B1 \* 1/2001 Yu ..... 70/69  
D480,621 S \* 10/2003 Ling ..... D8/331

The broken lines, which define the bounds of the claimed  
design form no part thereof. The broken lines environmental  
are for illustrative purpose only and form no part of the  
claimed design.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des. 526,187 S  
APPLICATION NO. : 29/228925  
DATED : August 8, 2006  
INVENTOR(S) : Farrell et al.


Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page, item [75], Inventors: please delete "Keightley" and insert --Keighley--.

Signed and Sealed this

Fifteenth Day of December, 2009

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive style with a large initial 'D' and 'K'.

David J. Kappos  
*Director of the United States Patent and Trademark Office*