

US00D526187S

(12) **United States Design Patent**
Farrell et al.

(10) **Patent No.:** **US D526,187 S**

(45) **Date of Patent:** **** Aug. 8, 2006**

(54) **STRIKER COVER**

D495,237 S * 8/2004 Tozer D8/343
D508,195 S * 8/2005 Pack et al. D8/302

(75) Inventors: **Shelley Ellen Farrell**, Brisbane (AU);
Garth Colin Keightley, Brisbane (AU)

* cited by examiner

(73) Assignee: **Assa Abloy New Zealand Limited**,
Wellington (NZ)

Primary Examiner—Prabhakar Deshmukh
(74) *Attorney, Agent, or Firm*—Blakely Sokoloff Taylor &
Zafman

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/228,925**

The ornamental design for a striker cover, as shown and
described.

(22) Filed: **Apr. 28, 2005**

DESCRIPTION

(30) **Foreign Application Priority Data**

Oct. 29, 2004 (NZ) 405449

(51) **LOC (8) Cl.** **08-07**

(52) **U.S. Cl.** **D8/343; D8/331**

(58) **Field of Classification Search** D8/330,
D8/331, 343, 339, 341, 342, 302, 300; 292/137,
292/157, 163, 171, 175, 150, DIG. 30
See application file for complete search history.

FIG. 1 is a front perspective view of the striker cover
showing our new design;
FIG. 2 is a perspective view of the striker cover of FIG. 1,
as seen from the rear of FIG. 1;
FIG. 3 is a top plan view of the striker cover of FIG. 1;
FIG. 4 is an end elevation of the striker cover as seen from
the left side of FIG. 3;
FIG. 5 is an end elevation of the striker cover as seen from
the right side of FIG. 3;
FIG. 6 is a bottom plan view of the striker cover of FIG. 3;
FIG. 7 is a front elevation of the striker cover as seen from
the bottom of FIG. 3; and,
FIG. 8 is a rear elevation of the striker cover as seen from
above FIG. 3.


(56) **References Cited**

U.S. PATENT DOCUMENTS

- D176,039 S * 11/1955 Rodale et al. D8/350
- D191,920 S * 12/1961 Hale et al. D8/302
- 4,736,972 A * 4/1988 Mosch 292/204
- D338,608 S * 8/1993 Martin et al. D8/302
- D392,099 S * 3/1998 Wang D3/318
- 6,079,527 A * 6/2000 Kuo 190/115
- 6,173,592 B1 * 1/2001 Yu 70/69
- D480,621 S * 10/2003 Ling D8/331

The broken lines, which define the bounds of the claimed
design form no part thereof. The broken lines environmental
are for illustrative purpose only and form no part of the
claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 526,187 S
APPLICATION NO. : 29/228925
DATED : August 8, 2006
INVENTOR(S) : Farrell et al.


Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page, item [75], Inventors: please delete "Keightley" and insert --Keighley--.

Signed and Sealed this

Fifteenth Day of December, 2009

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive style with a large initial 'D' and 'K'.

David J. Kappos
Director of the United States Patent and Trademark Office