

US00D526195S

(12) **United States Design Patent** (10) **Patent No.:** **US D526,195 S**
Jelich et al. (45) **Date of Patent:** **** Aug. 8, 2006**

(54) **CLOSURE**

(75) Inventors: **Nicholas J. Jelich**, Oconomowoc, WI (US); **Cori M. Blomdahl**, Muskego, WI (US)

(73) Assignee: **Seaquist Closures Foreign, Inc.**, Crystal Lake, IL (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/224,152**

(22) Filed: **Feb. 25, 2005**

(51) **LOC (8) Cl.** **09-07**

(52) **U.S. Cl.** **D9/449**

(58) **Field of Classification Search** D9/699, D9/698, 697, 504, 449, 447, 446, 445, 444, D9/440, 439, 435, 434, 428; 222/556; D28/82, D28/76; 221/306; 220/244; 215/236, 235; D7/392.1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D271,945 S	*	12/1983	Ochs	D9/452
D306,826 S	*	3/1990	Bormioli	D9/504
D376,320 S	*	12/1996	Lathrop et al.	D9/558
D388,549 S	*	12/1997	Mouyiaris et al.	D28/82
D433,333 S	*	11/2000	Kokenge et al.	D9/449
D476,574 S	*	7/2003	Beachum et al.	D9/542
D489,258 S	*	5/2004	Hollmann et al.	D9/444
D504,611 S	*	5/2005	Bakic	D9/446
D511,094 S	*	11/2005	Schuller et al.	D9/444

OTHER PUBLICATIONS

Seaquist Closures advertising sheet (one side) entitled "Orient your package with our new snap-on Tube Tops".

Seaquist Closures advertising sheet (one side) entitled "Seaquist Closures Line of Oval Closures".

Seaquist Closures advertising sheet (one side) entitled "The Perfect Dispensing Solution for Tubes, Tottles & Other Inverted Packages".

Seaquist Closures advertising sheet (two sides) entitled "Frost™ A cool new way to make your products hot".

Seaquist Closures advertising sheet (one side) entitled "Add 'Purity' to your package!".

Seaquist Closures advertising sheet (two sides) entitled "Horizon™ a new line of infinite choices".

* cited by examiner

Primary Examiner—Robert M. Spear

Assistant Examiner—Susan Bennett Hattan

(74) *Attorney, Agent, or Firm*—Wood, Phillips, Katz, Clark & Mortimer

(57) **CLAIM**

The ornamental design for a closure, as shown and described.

DESCRIPTION

FIG. 1 is a front isometric view showing our new design for a closure;

FIG. 2 is a top plan view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a left side elevational view thereof; and,

FIG. 6 is a right side elevational view thereof.


The bottom surface of the closure base is plain and unornamented. In use, the bottom surface of the closure base is mounted to the package or container, the bottom surface of the closure base is not visible to the user, and the bottom surface of the closure base forms no part of the ornamental design of the closed closure.

The broken line showing of a hinge is for illustrative purposes only and forms no part of the claimed design.

The entire closure base is opaque, but the entire closure lid is translucent and is depicted with a contrast in shading by stippling relative to the closure base, and such depiction represents a contrast in appearance so that the aesthetic appearance is enhanced.

In FIGS. 1 and 2, the translucent closed lid is depicted with a slightly darker contrast in surface shading by more dense stippling in a peripheral region that overlies the opaque closure base which is partially visible when viewed from the exterior of the closed lid, and the inner edge portions of the opening in the opaque closure base are visible through the closed lid as represented by lighter oval lines.

1 Claim, 2 Drawing Sheets







FIG. 1

FIG. 2






FIG. 3



FIG. 4




FIG. 5




FIG. 6