



US00D526309S

(12) **United States Design Patent**
Ozawa et al.

(10) **Patent No.:** **US D526,309 S**

(45) **Date of Patent:** **** Aug. 8, 2006**

(54) **SPEAKER**

(75) Inventors: **Naoyuki Ozawa**, Matsusaka (JP);
Kenji Yamauchi, Matsusaka (JP);
Yasuyuki Ito, Matsusaka (JP); **Yachiyo Shimokawatoko**, Hisai (JP)

(73) Assignee: **Matsushita Electric Industrial Co., Ltd.**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/226,590**

(22) Filed: **Mar. 30, 2005**

(30) **Foreign Application Priority Data**

Oct. 22, 2004 (JP) 2004-032157

(51) **LOC (8) Cl.** **14-01**

(52) **U.S. Cl.** **D14/214**

(58) **Field of Classification Search** D14/204,
D14/207, 209–216, 356; 181/143–144, 147–148,
181/150, 157, 198–199, 151, 153; 381/300–302,
381/306, 333, 345, 361–364, 386–388, 332,
381/336

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D347,225 S * 5/1994 Lowy et al. D14/204

5,802,190 A * 9/1998 Ferren 381/386
D457,875 S * 5/2002 Joe D14/214
D461,177 S * 8/2002 Hisatsune D14/211

FOREIGN PATENT DOCUMENTS

JP 1202257 4/2004

* cited by examiner

Primary Examiner—Nanda Bondade

(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione

(57) **CLAIM**

We claim the ornamental design for a speaker, as shown and described.

DESCRIPTION

FIG. 1 is a top front perspective view of a speaker of the present invention;

FIG. 2 is a top rear perspective view thereof;

FIG. 3 is a first side view thereof;

FIG. 4 is a front view thereof;

FIG. 5 is a second side view thereof;

FIG. 6 is a rear view thereof;

FIG. 7 is a top view thereof; and,

FIG. 8 is a bottom view thereof.

1 Claim, 3 Drawing Sheets




FIG.1




FIG.2




FIG.3




FIG.4




FIG.5




FIG.6




FIG.7




FIG.8

