



US00D526395S

(12) **United States Design Patent**
Von Bertouch

(10) **Patent No.:** **US D526,395 S**

(45) **Date of Patent:** **** Aug. 8, 2006**

(54) **TOILET SEAT AND LID ASSEMBLY**

(75) Inventor: **Tania Michelle Von Bertouch,**
Cowandilla (AU)

(73) Assignee: **Carona Industries Limited,** Brisbane
(AU)

(**) Term: **14 Years**

(21) Appl. No.: **29/223,661**

(22) Filed: **Feb. 17, 2005**

(30) **Foreign Application Priority Data**

Aug. 25, 2004 (AU) 14100/2004

(51) **LOC (8) Cl.** **23-02**

(52) **U.S. Cl.** **D23/311**

(58) **Field of Classification Search** D23/296-297,
D23/302-303, 309, 311-312; 4/234, 242.1,
4/237-241, 661, DIG. 6, DIG. 8; 297/219.1,
297/219.12; D6/610-612

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D261,029 S * 9/1981 Boyter D23/311

D389,903 S * 1/1998 Jones et al. D23/311

D437,921 S * 2/2001 Hulsebus et al. D23/311

* cited by examiner

Primary Examiner—Robert A. Delehanty

(74) *Attorney, Agent, or Firm*—Merchant & Gould P.C.

(57) **CLAIM**

The ornamental design for toilet seat and lid assembly, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view showing a toilet seat and lid assembly of my new design;

FIG. 2 is a top perspective view thereof shown in a closed position;

FIG. 3 is a top reduced perspective view thereof shown in an open position;

FIG. 4 is a front elevational view thereof in a closed position;

FIG. 5 is a right hand side elevational view thereof shown in a closed position;

FIG. 6 is a rear elevational view thereof shown in a closed position;

FIG. 7 is a bottom perspective view thereof shown in a closed position; and,

FIG. 8 is a bottom plan view thereof shown in a closed position.

1 Claim, 4 Drawing Sheets




FIG. 1




FIG. 5




FIG. 2




FIG. 7




FIG. 3




FIG. 4




FIG. 6




FIG. 8

