



US00D526541S

(12) **United States Design Patent**
Repp et al.

(10) **Patent No.:** **US D526,541 S**

(45) **Date of Patent:** **** Aug. 15, 2006**

(54) **STRAINER**

(76) Inventors: **Timothy Corcoran Repp**, 131 Center Hill Rd., Pleasant Valley, CT (US) 06063; **Thomas Bernard Murphy**, 4924 Woodland Pk Blvd., Arlington, TX (US) 76013

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/241,665**

(22) **Filed:** **Oct. 31, 2005**

(51) **LOC (8) Cl.** **07-04**

(52) **U.S. Cl.** **D7/667**

(58) **Field of Classification Search** D7/665-668;
100/113, 116, 213; 99/495, 501-513; 210/464,
210/465, 469, 470, 478, 232
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,520,382 A * 8/1950 Conrad et al. 210/465
2,808,938 A * 10/1957 Glover 210/469

4,220,534 A * 9/1980 Perry 210/232
D272,972 S * 3/1984 De Coster D7/667
D359,202 S * 6/1995 Cousins et al. D7/667
6,035,766 A * 3/2000 Schirmer 210/469

* cited by examiner

Primary Examiner—Terry A. Wallace

(74) *Attorney, Agent, or Firm*—Daniel V. Thompson


(57) **CLAIM**

The ornamental design for a “strainer,” as shown and described.

DESCRIPTION

FIG. 1 is a perspective view;
FIG. 2 is an end view;
FIG. 3 is an end view similar to FIG. 2 except rotated 180 degrees;
FIG. 4 is a side view;
FIG. 5 is a side view similar to FIG. 4 except rotated 180 degrees;
FIG. 6 is a top view; and,
FIG. 7 is a bottom view.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7