



US00D526721S

(12) **United States Design Patent**  
**Dodo et al.**

(10) **Patent No.:** **US D526,721 S**  
(45) **Date of Patent:** **\*\* Aug. 15, 2006**

(54) **HEATING EXTERNAL APPLICATION MATERIAL**

(75) Inventors: **Toshihiro Dodo**, Tochigi (JP); **Hisao Kimura**, Tochigi (JP); **Michio Aida**, Tochigi (JP)

(73) Assignee: **Mycoal Products Corporation**, Tochigi (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/212,486**

(22) Filed: **Sep. 2, 2004**

(30) **Foreign Application Priority Data**

Mar. 3, 2004 (JP) ..... 2004-006539

(51) **LOC (8) Cl.** ..... **24-04**

(52) **U.S. Cl.** ..... **D24/206**

(58) **Field of Classification Search** ..... D24/200,  
D24/206-208; 607/96, 108, 109, 110, 111,  
607/114; D7/362-363, 367; 219/458.1, 460.1,  
219/462.1, 463.1, 464.1  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D342,790 S \* 12/1993 Zona ..... D24/207  
D380,051 S \* 6/1997 Davis et al. .... D24/206  
5,674,270 A \* 10/1997 Viltro et al. .... 607/110  
D398,878 S \* 9/1998 Middleton, Sr. .... D11/3

D407,497 S \* 3/1999 Davis et al. .... D24/206  
D407,822 S \* 4/1999 Davis et al. .... D24/206  
D407,823 S \* 4/1999 Davis et al. .... D24/206  
D413,389 S \* 8/1999 Owen, Jr. .... D24/206  
D417,007 S \* 11/1999 Davis et al. .... D24/206  
D420,449 S \* 2/2000 Schifrin et al. .... D24/200  
6,019,782 A \* 2/2000 Davis et al. .... 607/96  
D435,910 S \* 1/2001 Davis et al. .... D24/206  
6,336,935 B1 \* 1/2002 Davis et al. .... 607/114  
D467,006 S \* 12/2002 Knight et al. .... D24/206  
D472,321 S \* 3/2003 Davis et al. .... D24/206  
2003/0163176 A1 \* 8/2003 Bae ..... 607/96

\* cited by examiner

*Primary Examiner*—Ian Simmons

*Assistant Examiner*—Melanie Levy

(74) *Attorney, Agent, or Firm*—Armstrong, Kratz, Quintos,  
Hanson & Brooks, LLP


(57) **CLAIM**

The ornamental design for a heating external application material, as shown and described.


**DESCRIPTION**

FIG. 1 is a front view of the heating external application material showing our new design; FIG. 2 is a top plane view thereof; FIG. 3 is a right side view thereof; FIG. 4 is a left side view thereof; FIG. 5 is a back view thereof; and, FIG. 6 is a bottom view thereof.


**1 Claim, 2 Drawing Sheets**



*Fig. 1*



*Fig. 2*




*Fig. 3*



*Fig.4*



*Fig.5*



*Fig.6*

