



US00D526722S

(12) **United States Design Patent**  
**Dodo et al.**

(10) **Patent No.:** **US D526,722 S**

(45) **Date of Patent:** **\*\* Aug. 15, 2006**

(54) **HEATING EXTERNAL APPLICATION MATERIAL**

(75) Inventors: **Toshihiro Dodo**, Tochigi (JP); **Hisao Kimura**, Tochigi (JP); **Michio Aida**, Tochigi (JP)

(73) Assignee: **Mycoal Products Corporation**, Tochigi (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/212,488**

(22) Filed: **Sep. 2, 2004**

(30) **Foreign Application Priority Data**

Mar. 3, 2004 (JP) ..... 2004-006537

(51) **LOC (8) Cl.** ..... **24-04**

(52) **U.S. Cl.** ..... **D24/206**

(58) **Field of Classification Search** ..... D24/200, D24/206-208, 211; 607/96, 108, 109, 110, 607/111, 114; D7/362-363, 367; 219/458.1, 219/460.1, 462.1, 463.1, 464.1; 604/119, 604/134

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

- D342,790 S \* 12/1993 Zona ..... D24/207
- D353,892 S \* 12/1994 Shaw et al. .... D24/207
- D380,050 S \* 6/1997 Cappelli et al. .... D24/206
- D380,051 S \* 6/1997 Davis et al. .... D24/206

- 5,674,270 A \* 10/1997 Viltro et al. .... 607/96
- D407,497 S \* 3/1999 Davis et al. .... D24/206
- D407,822 S \* 4/1999 Davis et al. .... D24/206
- D407,823 S \* 4/1999 Davis et al. .... D24/206
- D413,389 S \* 8/1999 Owen, Jr. .... D24/206
- D417,007 S \* 11/1999 Davis et al. .... D24/206
- D420,449 S \* 2/2000 Schifrin et al. .... D24/200
- 6,019,782 A \* 2/2000 Davis et al. .... 607/96
- D435,910 S \* 1/2001 Davis et al. .... D24/206
- 6,336,935 B1 \* 1/2002 Davis et al. .... 607/112
- D467,006 S \* 12/2002 Knight et al. .... D24/206
- D472,321 S \* 3/2003 Davis et al. .... D24/206
- 2003/0163176 A1 \* 8/2003 Bae ..... 607/96

\* cited by examiner

*Primary Examiner*—Ian Simmons

*Assistant Examiner*—Melanie Levy

(74) *Attorney, Agent, or Firm*—Armstrong, Kratz, Quintos, Hanson & Brooks, LLP


(57) **CLAIM**

The ornamental design for a heating external application material, as shown and described.


**DESCRIPTION**

FIG. 1 is a front view of the heating external application material showing our new design; FIG. 2 is a top plane view thereof; FIG. 3 is a right side view thereof; FIG. 4 is a left side view thereof; FIG. 5 is a back view thereof; and, FIG. 6 is a bottom view thereof.

**1 Claim, 2 Drawing Sheets**



*Fig. 1*




*Fig. 2*




*Fig. 3*



*Fig.4*



*Fig.5*



*Fig.6*

