

## US00D526745S

# (12) United States Design Patent (10) Patent No.:

Hohdorf

US D526,745 S

(45) Date of Patent: \*\* Aug. 15, 2006

## SURFACE CONFIGURATION OF A HELMET

Inventor: Volker Hohdorf, Augsburg (DE)

Assignee: Bayerische Motoren Werke (73)Aktiengesellschaft, Munich (DE)

14 Years Term:

Appl. No.: 29/224,291

Filed: Mar. 1, 2005 (22)

### Foreign Application Priority Data (30)

404 05 05	p. 1, 2004	Sep
	LOC (8)	(51)
D29/107	U.S. Cl.	(52)
fication Search D29/102–112	Field of	(58)
2; 2/5, 6.1–6.8, 9, 410–415, 421–425	$\Gamma$	
28, 435, 452, 468, 205–206, 172–173	2/4	
2/209.13, 209.14		
file for complete search history.	See appli	

## (56)**References Cited**

## U.S. PATENT DOCUMENTS

D261.967	C	*	0/1005	T 1- :	D20/102
D361,867		*	8/1995	Taniuchi	D29/102
D406,404	$\mathbf{S}$	*	3/1999	Simpson	D29/107
D411,900	S	*	7/1999	Puleo	D29/107
D418,255	$\mathbf{S}$	*	12/1999	Hohdorf	D29/107
D445,546	$\mathbf{S}$	*	7/2001	Gafforio	D29/107
D450,160	$\mathbf{S}$	*	11/2001	Kalhok	D29/107
D451,643	$\mathbf{S}$	*	12/2001	Kalhok	D29/107
D485,947	$\mathbf{S}$	*	1/2004	Pelletier et al	D29/107
6,795,979	B1	*	9/2004	Fournier	2/424
D513,094	S	*	12/2005	Dorian	D29/107

<sup>\*</sup> cited by examiner

Primary Examiner—Ruth McInroy

(74) Attorney, Agent, or Firm—Crowell & Moring LLP

(57)CLAIM

The ornamental design for a surface configuration of a helmet, as shown and described.

## **DESCRIPTION**

FIG. 1 is a right, front perspective view of a surface configuration of a helmet according to my novel design, the left, front perspective view being mirror symmetrical;

FIG. 2 is a left, rear perspective view of the surface configuration of a helmet according to my novel design, the right, rear perspective view being mirror symmetrical;

FIG. 3 is a right side view of the surface configuration of a helmet according to my novel design, the left side view being mirror symmetrical;

FIG. 4 is a front view of the surface configuration of a helmet according to my novel design;

FIG. 5 is a rear view of the surface configuration of a helmet according to my novel design;

FIG. 6 is a top view of the surface configuration of a helmet according to my novel design;


FIG. 7 is a bottom view of the surface configuration of a helmet according to my novel design;


FIG. 8 is a right, front perspective view of the surface configuration of a helmet according to my novel design showing the shield turned up, the left, front perspective view being mirror symmetrical; and,


FIG. 9 is a left, rear perspective view of the surface configuration of a helmet according to my novel design showing the shield turned up, the right, rear perspective view being mirror symmetrical.

The broken lines are for illustrative purposes only and form no part of the claimed design.


## 1 Claim, 5 Drawing Sheets







Aug. 15, 2006







FIG. 2

Aug. 15, 2006







FIG. 4

Aug. 15, 2006






FIG. 6




FIG. 7

