



US00D526997S

(12) **United States Design Patent**  
**Araki**

(10) **Patent No.:** **US D526,997 S**

(45) **Date of Patent:** **\*\* Aug. 22, 2006**

(54) **ELECTRONIC COMPUTER**

(75) Inventor: **Satoshi Araki**, Tokyo (JP)

(73) Assignee: **Kabushiki Kaisha Toshiba** (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/236,613**

(22) Filed: **Aug. 19, 2005**

(30) **Foreign Application Priority Data**

Jul. 15, 2005 (JP) ..... 2005-020696

(51) **LOC (8) Cl.** ..... **14-02**

(52) **U.S. Cl.** ..... **D14/327**

(58) **Field of Classification Search** ..... D14/315-328;  
D18/1, 2, 7, 11; 235/145 A, 145 R; 341/22,  
341/23; 345/104, 156, 168, 169, 173; 361/680-686;  
400/486, 489

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D319,819 S	9/1991	Kawaguchi	
D330,016 S	* 10/1992	Mizusugi et al.	..... D14/327
D395,869 S	7/1998	Suzuki	
D401,572 S	11/1998	Tanaka	
D402,277 S	12/1998	Iino	
D411,519 S	6/1999	Tanaka	
D411,832 S	7/1999	Iino	

(Continued)

**FOREIGN PATENT DOCUMENTS**

JP	1068054	4/2000
JP	D1069271	5/2000
JP	D1089183	10/2000
JP	1119092	8/2001
JP	D1128299	12/2001

JP	D1128642	12/2001
JP	D1145577	7/2002
JP	1216909	9/2004

*Primary Examiner*—Freda S. Nunn

(74) *Attorney, Agent, or Firm*—Banner & Witcoff, Ltd.

(57) **CLAIM**



The ornamental design for an electronic computer, as shown and described.

**DESCRIPTION**

FIG. 1 is a reduced top, front and right side perspective view of an electronic computer showing my new design, FIG. 2 is a front elevational view thereof, FIG. 3 is a rear elevational view thereof, FIG. 4 is a left side elevational view thereof, FIG. 5 is a right side elevational view thereof, FIG. 6 is a top plan view thereof, FIG. 7 is a bottom plan view thereof, FIG. 8 is a front elevational view showing the article in a closed position thereof, FIG. 9 is a right side elevational view showing the article in the closed position thereof, FIG. 10 is a top plan view showing the article in the closed position thereof, FIG. 11 is a top plan view showing the article in the closed position with the display being turned 180 degrees thereof, FIG. 12 is a perspective view showing the article with the display being turned to a midway position thereof, FIG. 13 is a perspective view showing the article in the closed position thereof; and, FIG. 14 is a perspective view showing the article in the closed position with the display being turned 180 degrees thereof.

The broken lines are shown in the views for illustrative purposes only and form no part of the claimed design.

**1 Claim, 8 Drawing Sheets**



# US D526,997 S

Page 2

---

## U.S. PATENT DOCUMENTS

D415,475 S	10/1999	Sugano		D485,554 S	1/2004	Kamegi	
D418,491 S	1/2000	Iino		D485,836 S	1/2004	Tanaka	
6,067,224 A	* 5/2000	Nobuchi	..... 361/683	D488,808 S	4/2004	Kamegi	
D427,192 S	6/2000	Segawa et al.		D488,809 S	4/2004	Kamegi	
D430,869 S	9/2000	Lee et al.		D491,934 S	6/2004	Shimano et al.	
D442,950 S	5/2001	Sugano et al.		D493,785 S	* 8/2004	Andre et al.	..... D14/318
D452,238 S	12/2001	Sugano et al.		D494,162 S	8/2004	Kondo	
D453,508 S	2/2002	Shibata		D494,580 S	8/2004	Kondo	
D464,344 S	10/2002	Jobs et al.		D494,581 S	8/2004	Araki	
D476,326 S	* 6/2003	Tanimura	..... D14/318	D495,691 S	9/2004	Takada et al.	
D479,841 S	9/2003	Tago et al.		D499,726 S	12/2004	Kurokawa	
D481,386 S	10/2003	Kondo		D499,727 S	12/2004	Kondo	
D485,262 S	1/2004	Kamegi		D501,006 S	1/2005	Yugaya	
D485,263 S	1/2004	Kamegi		D502,177 S	2/2005	Takada et al.	

\* cited by examiner

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11






FIG. 12




FIG. 13




FIG. 14

