



US00D527182S

(12) **United States Design Patent**
Ham

(10) **Patent No.:** **US D527,182 S**

(45) **Date of Patent:** **** Aug. 29, 2006**

(54) **CARRYING CASE**

(76) Inventor: **Soo Hyun Ham**, 101 Soquel Ave., Santa Cruz, CA (US) 95060

(**) Term: **14 Years**

(21) Appl. No.: **29/225,024**

(22) Filed: **Mar. 9, 2005**

(51) **LOC (8) Cl.** **03-01**

(52) **U.S. Cl.** **D3/294; D3/274**

(58) **Field of Classification Search** D3/20,
D3/201, 203.1, 203.3, 203.6–203.8, 205–206,
D3/218, 221, 273–274, 294–295, 901, 903,
D3/905; D9/423–424, 432; 206/207, 823
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|------------|---|---------|-----------------|-------|----------|
| D206,109 S | * | 10/1966 | Aylott | | D9/423 |
| D306,234 S | * | 2/1990 | Ferstl | | D19/75 |
| D306,235 S | * | 2/1990 | Tamamura | | D3/295 |
| D318,934 S | * | 8/1991 | Embrey | | D28/61 |
| D321,284 S | * | 11/1991 | Marsella et al. | | D3/295 |
| D327,363 S | * | 6/1992 | Farb | | D3/203.1 |
| D352,601 S | * | 11/1994 | Dallaire | | D3/212 |
| D369,295 S | * | 4/1996 | Kobari et al. | | D9/423 |
| D431,902 S | * | 10/2000 | Mellin | | D3/203.1 |
| D469,955 S | * | 2/2003 | Lauer | | D3/294 |
| D487,192 S | * | 3/2004 | Farnham et al. | | D3/294 |

| | | | | | |
|------------|---|--------|----------------|-------|--------|
| D496,585 S | * | 9/2004 | McBride et al. | | D9/423 |
| D506,065 S | * | 6/2005 | Sugino et al. | | D3/294 |

* cited by examiner

Primary Examiner—Philip S. Hyder

Assistant Examiner—RoseLynne Ulm Cody

(74) *Attorney, Agent, or Firm*—Jung-hua Kuo

(57) **CLAIM**

The ornamental design for a carrying case, as shown and described.

DESCRIPTION

This is related to co-pending U.S. Design patent application No. 29/225,102, entitled “Carrying Case for Communications Headset System” by applicant Soo Hyun Ham filed concurrently herewith.

FIG. 1 is a rear elevational view of a carrying case such as one for storing and transporting components of a communications headset and charger.

FIG. 2 is top plain view of the carrying case.

FIG. 3 is a left side elevational view of the carrying case.

FIG. 4 is a right side elevational view of the carrying case.



FIG. 5 is a front elevational view of the carrying case.

FIG. 6 is a lower rear left perspective view of the carrying case.

FIG. 7 is a bottom plain view of the carrying case; and,

FIG. 8 is an upper front right perspective view of the carrying case.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8