

US00D527290S

(12) **United States Design Patent** (10) **Patent No.:** **US D527,290 S**
Paul et al. (45) **Date of Patent:** **** Aug. 29, 2006**

(54) **MOISTURE SENSOR AND CONTROLLER**

(75) Inventors: **Michael F. Paul**, San Diego, CA (US);
James B. Trumble, Royal Oak, MI
(US)

(73) Assignee: **Rain Bird Corporation**, Glendora, CA
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/226,811**

(22) Filed: **Mar. 31, 2005**

(51) **LOC (8) Cl.** **10-04**

(52) **U.S. Cl.** **D10/56**

(58) **Field of Classification Search** D10/56;
73/335.02–335.04, 73–74, 29.05; 324/640,
324/664, 658, 689, 686, 690

See application file for complete search history.

(56) **References Cited**

OTHER PUBLICATIONS

U.S. Appl. No. 11/027,355, filed Dec. 29, 2004, Dresselhaus
et al.

Primary Examiner—Antoine D. Davis

(74) *Attorney, Agent, or Firm*—Fitch, Even, Tabin &
Flannery

(57) **CLAIM**

The ornamental design for a moisture sensor and controller,
as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a moisture sensor according
to our new design;

FIG. 2 is a top plan view of the moisture sensor of FIG. 1;

FIG. 3 is a right side elevation of the moisture sensor of FIG.
1;

FIG. 4 is a bottom plan view of the moisture sensor of FIG.
1;


FIG. 5 is a left side elevation view of the moisture sensor of
FIG. 1;

FIG. 6 is a rear elevation view of the moisture sensor of FIG.
1; and,

FIG. 7 is a front elevation view of the moisture sensor of
FIG. 1.

The broken lines showing the electrical connections and
electrical connection holder in FIGS. 1–4 and 6–7, as well
as the broken lines showing the seam formed in the end cap
in FIGS. 1–2 and 7 are shown for illustrative purposes only
and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 7




FIG. 6