

US00D527618S

(12) United States Design Patent (10) Patent No.:

Aoki (45) Date of Patent:

US D527,618 S

Date of Patent: ** Sep. 5, 2006

(54) MAGNETIC FASTENER

- (75) Inventor: Yoshihiro Aoki, Tokyo (JP)
- (73) Assignee: Application Art Laboratories Co.,

Ltd., Tokyo (JP)

- (**) Term: 14 Years
- (21) Appl. No.: 29/226,345
- (22) Filed: Mar. 29, 2005

Related U.S. Application Data

Division of application No. 29/187,694, filed on Aug. 6, 2003, now Pat. No. Des. 506,921, which is a division of application No. 29/149,061, filed on Oct. 3, 2001, now Pat. No. Des. 482,266, which is a division of application No. 29/117,612, filed on Jan. 31, 2000, now Pat. No. Des. 452,137, which is a division of application No. 29/102,113, filed on Mar. 17, 1999, now Pat. No. Des. 419,469, which is a division of application No. 29/089,188, filed on Jun. 9, 1998, now Pat. No. Des. 412,865.

(51)	LOC (8) Cl 08-08
(52)	U.S. Cl D8/382
(58)	Field of Classification Search D8/382,
` '	D8/331; D11/205-220, 331; 24/94, 303,
	24/688; 292/251.5; 63/29.2; 294/65.5
	See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

D273,840 S	5/1984	Morita
D274,883 S	7/1984	Aoki
4,505,007 A	3/1985	Aoki 24/303
4,779,314 A	10/1988	Aoki 24/303
D303,641 S	9/1989	Aoki
4,941,235 A	7/1990	Aoki 24/303
5,152,035 A	10/1992	Morita 24/303
D335,266 S	5/1993	Morita D11/231
5,249,338 A	10/1993	Aoki 24/303
D360,391 S	7/1995	Aoki
D411,478 S	6/1999	Kenagy D11/87
D412,865 S	8/1999	Aoki
D425,780 S	5/2000	Aoki

D426,765 S	6/2000	Aoki
D434,644 S	12/2000	Aoki
D452,813 S	1/2002	Morita
D454,482 S	3/2002	Morita
D461,400 S	8/2002	Aoki
D462,255 S	9/2002	Aoki
D464,562 S	10/2002	Reiter
D481,298 S	10/2003	Aoki
D482,266 S	* 11/2003	Aoki
D506,921 S	* 7/2005	Aoki
D511,449 S	* 11/2005	Aoki

^{*} cited by examiner

Primary Examiner—Catherine R. Oliver (74) Attorney, Agent, or Firm—Wenderoth, Lind & Ponack, L.L.P.

(57) CLAIM

The oranmental design for a magnetic fastener, as shown and described.

DESCRIPTION

- FIG. 1 is a front elevational view of a magnetic fastener showing the first embodiment of my new design, with the rear elevational view being identical thereto;
- FIG. 2 is a left side elevational view, with the right side elevational view being identical thereto;
- FIG. 3 is a top plan view thereof;
- FIG. 4 is a bottom plan view thereof;
- FIG. 5 is a front elevational view of the front member of the magnetic fastener shown in FIG. 1, detached from the rear member, with the rear elevational view being identical thereto;
- FIG. 6 is a left side elevational view with the right side elevational view being identical thereto;
- FIG. 7 is a top plan view thereof corresponding to FIG. 3;
- FIG. 8 is a bottom plan view thereof;
- FIG. 9 is a front elevational view of the rear member of the magnetic fastener shown in FIG. 1, detached from the front member, with the rear elevational view being identical thereto;
- FIG. 10 is a left side elevational view with the right side elevational view being identical thereto;
- FIG. 11 is a top plan view thereof;




FIG. 12 is a bottom plan view thereof corresponding to FIG. 4;

FIG. 13 is a front elevational view of a magnetic fastener showing the second embodiment of my new design, with the rear elevational view being identical thereto;

FIG. 14 is a left side elevational view with the right side elevational view being identical thereto;

FIG. 15 is a top plan view thereof;

FIG. 16 is a bottom plan view thereof;

FIG. 17 is front elevational view of the front member of the magnetic fastener shown in FIG. 13, detached from the rear member, with the rear elevational view being identical thereto;

FIG. 18 is a left side elevational view with the right side elevational view being identical thereto;

FIG. 19 is a top plan view thereof corresponding to FIG. 15;

FIG. 20 is a bottom plan view thereof;

FIG. 21 is a front elevational view of the rear member of the magnetic fastener shown in FIG. 13, detached from the front member, with the rear elevational view being identical thereto;

FIG. 22 is a left side elevational view with the right side elevational view being identical thereto;

FIG. 23 is a top plan view thereof;

FIG. 24 is a bottom plan view thereof corresponding to FIG. 16;

FIG. 25 is a front elevational view of a magnetic fastener showing the third embodiment of my new design, with the rear elevational view being identical thereto;

FIG. 26 is a left side elevational view with the right side elevational view being identical thereto;

FIG. 27 is a top plan view thereof;

FIG. 28 is a bottom plan view thereof;

FIG. 29 is a front elevational view of the front member of the magnetic fastener shown in FIG. 25, detached from the rear member, with the rear elevational view being identical thereto;

FIG. 30 is a left side elevational view with the right side elevational view being identical thereto;

FIG. 31 is a top plan view thereof corresponding to FIG. 27;

FIG. 32 is a bottom plan view thereof;

FIG. 33 is a front elevational view of the rear member of the magnetic fastener shown in FIG. 25, detached from the front member, with the rear elevational view being identical thereto;

FIG. 34 is a left side elevational view with the right side elevational view being identical thereto;

FIG. 35 is a top plan view thereof;

FIG. 36 is a bottom plan view thereof corresponding to FIG. 28;

FIG. 37 is a front elevational view of a magnetic fastener showing the fourth embodiment of my new design, with the rear elevational view being identical thereto;

FIG. 38 is a left side elevational view with the right side elevational view being identical thereto;

FIG. 39 is a top plan view thereof;

FIG. 40 is a bottom plan view thereof;

FIG. 41 is a front elevational view of the front member of the magnetic fastener shown in FIG. 37, detached from the rear member, with the rear elevational view being identical thereto;

FIG. 42 is a left side elevational view with the right side elevational view being identical thereto;

FIG. 43 is a top plan view thereof corresponding to FIG. 39;

FIG. 44 is a bottom plan view thereof;

FIG. 45 is a front elevational view of the rear member of the magnetic fastener shown in FIG. 37, detached from the front member, with the rear elevational view being identical thereto;

FIG. 46 is a left side elevational view with the right side elevational view being identical thereto;

FIG. 47 is a top plan view thereof; and,

FIG. 48 is a bottom plan view thereof corresponding to FIG. 40.

The elements are shown detached for clarity of illustration.

1 Claim, 12 Drawing Sheets

FIG. 1




FIG. 3




FIG. 2





FIG. 4



F/G. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10





FIG. 11






FIG. 13




FIG. 15




FIG. 14




FIG. 16




FIG. 17




FIG. 18




FIG. 19






FIG. 20











FIG. 23

FIG. 24






FIG. 25




FIG. 27




FIG. 26




FIG. 28




FIG. 29




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 39




FIG. 38




FIG. 40




FIG. 41





FIG. 42






FIG. 44





FIG. 45










FIG. 47




FIG. 48

