



US00D528581S

(12) **United States Design Patent**  
**Kato et al.**

(10) **Patent No.:** **US D528,581 S**  
(45) **Date of Patent:** **\*\* Sep. 19, 2006**

(54) **IMAGE PICKUP APPARATUS**

(75) Inventors: **Tetsuro Kato**, Nagoya (JP); **Takeshi Yoshida**, Nagoya (JP)

(73) Assignee: **Elmo Co., Ltd.**, Aichi (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/205,812**

(22) Filed: **May 20, 2004**

(30) **Foreign Application Priority Data**

Jan. 9, 2004 (JP) ..... 2004-000414

(51) **LOC (8) Cl.** ..... **16-02**

(52) **U.S. Cl.** ..... **D16/232; D14/423**

(58) **Field of Classification Search** ..... D14/423;  
D16/200, 203, 208, 221, 232; 348/143, 151,  
348/207.99, 345, 373, 374; 353/119, 122  
See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,806,779 A \* 2/1989 Nakamura et al. .... 348/307

D351,149 S \* 10/1994 Bontly et al. .... D14/423  
5,760,826 A \* 6/1998 Nayar ..... 348/143  
6,535,250 B1 \* 3/2003 Okisu et al. .... 348/345  
2002/0057344 A1 \* 5/2002 Miyake et al. .... 348/207.99

\* cited by examiner

*Primary Examiner*—Adir Aronovich

(74) *Attorney, Agent, or Firm*—Koda & Androlia

(57) **CLAIM**

The ornamental design for an image pickup apparatus, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of an image pickup apparatus showing our new design;  
FIG. 2 is a rear elevational view thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a bottom plan view thereof;  
FIG. 5 is a left side elevational view thereof;  
FIG. 6 is a right side elevational view thereof; and,  
FIG. 7 is a perspective view taken from the front, bottom and right side of the image pickup apparatus.

**1 Claim, 7 Drawing Sheets**




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

