



US00D528747S

(12) **United States Design Patent**
Issler

(10) **Patent No.:** **US D528,747 S**

(45) **Date of Patent:** **** Sep. 26, 2006**

(54) **SHOE**
(75) Inventor: **David C. Issler**, North Andover, MA
(US)
(73) Assignee: **Columbia Insurance Company**,
Omaha, NE (US)
(**) Term: **14 Years**
(21) Appl. No.: **29/241,348**
(22) Filed: **Oct. 26, 2005**

4,995,174 A 2/1991 Hong et al. 36/72
5,048,203 A 9/1991 Kling 36/32
5,185,944 A 2/1993 Okajima 36/45
5,499,459 A 3/1996 Tomaro 36/10
5,526,584 A 6/1996 Bleimhofer et al. 36/10
D374,549 S * 10/1996 McDonald D2/917
5,738,937 A 4/1998 Baychar 428/316.6
D409,359 S * 5/1999 Condi D2/916
D441,942 S * 5/2001 Kelchak D2/916
D461,301 S * 8/2002 Urie D2/969
D465,906 S * 11/2002 Petrovski D2/916
D467,407 S * 12/2002 Berg et al. D2/916
D483,929 S * 12/2003 Tzenos D2/916

(51) **LOC (8) Cl.** **02-04**
(52) **U.S. Cl.** **D2/916**
(58) **Field of Classification Search** D2/916,
D2/896, 923-925, 926, 927, 969; 36/11.5,
36/50.1

See application file for complete search history.

* cited by examiner

Primary Examiner—Stella Reid
Assistant Examiner—Rashida C. McCoy
(74) *Attorney, Agent, or Firm*—St. Onge Steward Johnston
& Reens LLC

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,974,543 A 9/1934 Reymond 12/142
2,046,217 A 6/1936 Strauss 36/72
2,079,237 A 5/1937 Allard 36/72
2,160,768 A 5/1939 Wasser 36/72
2,344,069 A 3/1944 Wasser 36/72
3,091,871 A 6/1963 Tronche 36/72
3,175,310 A 3/1965 MacQuaid 36/72
3,175,311 A 3/1965 MacQuaid 36/72
3,191,321 A 6/1965 Brütting 36/2.5
3,213,551 A 10/1965 Krauss 36/2.5
3,407,518 A 10/1968 MacQuaid et al. 36/72
3,525,165 A 8/1970 Randall, Jr. 36/2.5
3,561,142 A 2/1971 Streit, Sr. et al. 36/72
D224,763 S * 9/1972 Fukuoka D2/918
4,231,170 A 11/1980 Griswold 36/72
4,366,629 A 1/1983 Scherz 36/4
4,562,652 A 1/1986 Hensler 36/102
4,908,963 A 3/1990 Krajcir et al. 36/77


(57) **CLAIM**

The ornamental design for a shoe, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a shoe in accordance with the new design;
FIG. 2 is a top view thereof;
FIG. 3 is a bottom view thereof;
FIG. 4 is a bottom perspective view thereof;
FIG. 5 is left view thereof;
FIG. 6 is a right view thereof;
FIG. 7 is a front view thereof;
FIG. 8 is a rear view thereof;
FIG. 9 is a close up bottom perspective view taken of the area indicated as 9 shown in FIG. 3; and,
FIG. 10 is a cross sectional view taken along the line 10-10 shown in FIG. 5.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10