

US00D528919S

(12) **United States Design Patent** (10) **Patent No.:** **US D528,919 S**
Kipperman et al. (45) **Date of Patent:** **** Sep. 26, 2006**

(54) **CONTAINER**

(75) Inventors: **Stuart R. Kipperman**, Evansville, IN
(US); **Cathy O. Smay**, Newburgh, IN
(US)

(73) Assignee: **Bristol-Myers Squibb Company**,
Princeton, NJ (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/222,701**

(22) Filed: **Feb. 2, 2005**

(51) **LOC (8) Cl.** **09-01**

(52) **U.S. Cl.** **D9/529; D9/537**

(58) **Field of Classification Search** D9/424,
D9/428, 500, 502–504, 509–511, 513, 516,
D9/529–530, 537, 543, 548–549, 555, 560,
D9/568, 571, 575; D28/73, 76, 91; D7/543,
D7/601–603, 612, 529; 215/12.2, 13.1, 381–385,
215/396, 398, 400; 220/669, 675–676

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D177,570 S * 5/1956 James D7/612
D221,169 S * 7/1971 Benes D7/584
D225,730 S * 1/1973 Peterson D9/529
D241,917 S * 10/1976 Borum D9/452
D254,838 S * 4/1980 Agnone et al. D9/691
D259,625 S * 6/1981 Hamilton et al. D9/428
D369,270 S * 4/1996 Payen D7/354
D370,300 S * 5/1996 Gottvald et al. D7/603
D405,609 S * 2/1999 Fu et al. D3/302
D453,892 S * 2/2002 Lindsay et al. D7/596
D456,265 S * 4/2002 Spear D9/502
D458,542 S * 6/2002 Cummings et al. D9/530

D474,651 S * 5/2003 Ward D9/529
D497,777 S * 11/2004 Sanders et al. D7/603
D502,396 S * 3/2005 Frisch et al. D9/503

OTHER PUBLICATIONS

(Pending) U.S. Appl. No. 29/206,122, filed May 26, 2004.
(Pending) U.S. Appl. No. 60/574,411, filed May 26, 2004.
(Pending) U.S. Appl. No. 29/206,084, filed May 26, 2004.
(Pending) U.S. Appl. No. 29/206,083, filed May 26, 2004.
(Pending) U.S. Appl. No. 29/206,079, filed May 26, 2004.

* cited by examiner

Primary Examiner—Ian Simmons

Assistant Examiner—Dana Sipos

(74) *Attorney, Agent, or Firm*—Nelson Mullins Riley &
Scarborough

(57) **CLAIM**

The ornamental design for a container, substantially as
shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a container embodying the
design of the present invention;

FIG. 2 is a front elevational view of the container illustrated
in FIG. 1;

FIG. 3 is a rear elevational view of the container illustrated
in FIG. 1;


FIG. 4 is a left side elevational view of the container
illustrated in FIG. 1;

FIG. 5 is a right side elevational view of the container
illustrated in FIG. 1;

FIG. 6 is a top view of the container illustrated in FIG. 1;
and,

FIG. 7 is a cross sectional view of the container as shown
along the line 7—7 in FIG. 2.

1 Claim, 5 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7