

#### US00D528992S

# (12) United States Design Patent (10) Patent No.:

Hobart et al.

(45) Date of Patent: \*\* \*Sep. 26, 2006

(54)	REMOTE	<b>CONTROL</b>
$\chi \sim \tau$		COMMO

(75) Inventors: **Jordan T. Hobart**, Allentown, PA

(US); Elliot G. Jacoby, Glenside, PA (US); Brad Michael Kreschollek, Bethlehem, PA (US); Joel Spira, Coopersburg, PA (US)

) Assignee: Lutron Electronics Co., Inc.

(\*) Notice: This patent is subject to a terminal dis-

claimer.

(\*\*) Term: 14 Years

(21) Appl. No.: 29/211,362

(22) Filed: Aug. 13, 2004

### Related U.S. Application Data

(63) Continuation-in-part of application No. 29/201,990, filed on Mar. 24, 2004, which is a continuation-in-part of application No. 29/193,550, filed on Nov. 10, 2003, now Pat. No. Des. 496,335.

(51)	LOC (8) Cl.	•••••	13-03
------	-------------	-------	-------

(52) U.S. Cl. ..... D13/168

See application file for complete search history.

## (56) References Cited

U.S. PATENT DOCUMENTS

D496,003	S	*	9/2004	Spira	D13/168
D496,335	S	*	9/2004	Spira	D13/168

US D528,992 S

\* cited by examiner

Primary Examiner—Stella Reid Assistant Examiner—Selina Sikder

(74) Attorney, Agent, or Firm—Ostrolenk, Faber, Gerb & Soffen, LLP

(57) CLAIM

The ornamental design for remote control, as shown and described.

#### **DESCRIPTION**

FIG. 1 is a perspective view of a first embodiment of a remote control in accordance with the present invention.

FIG. 2 is a front elevational view of the remote control of the present invention.

FIG. 3 is a rear elevational view of the remote control of the present invention.

FIG. 4 is a left-hand elevational view of the remote control of the present invention.

FIG. 5 is a right-hand elevational view of the remote control of the present invention.

FIG. 6 is a top view of the remote control of the present invention.

FIG. 7 is a bottom view of the remote control of the present invention.

FIG. 8 is a perspective view of a second embodiment of the remote control of FIG. 1; and,

FIG. 9 is a front elevational view in accordance with the second embodiment thereof, of the remote control of FIG. 1, with the second embodiment having a rear elevational view, a left hand elevational view, a right hand elevational view, a top view, and a bottom view that correspond, respectively, to FIGS. 3, 4, 5, 6 and 7.

## 1 Claim, 9 Drawing Sheets




Fig. 7




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9

