

US00D528994S

(12) **United States Design Patent**
Matsui et al.

(10) **Patent No.:** **US D528,994 S**
(45) **Date of Patent:** **** Sep. 26, 2006**

(54) **LIGHT EMITTING DIODE MODULE**

JP D1191624 12/2003

(75) Inventors: **Nobuyuki Matsui**, Ibaraki (JP); **Hideo Nagai**, Takatsuki (JP); **Kenji Mukai**, Shijonawate (JP); **Masanori Shimizu**, Kyotanabe (JP)

Primary Examiner—Selina Sikder
(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione

(73) Assignee: **Matsushita Electric Industrial Co., Ltd.**, Osaka (JP)

(57) **CLAIM**

We claim the ornamental design for a light emitting diode module, as shown and described.

(**) Term: **14 Years**

DESCRIPTION

(21) Appl. No.: **29/219,402**

(22) Filed: **Dec. 16, 2004**

(30) **Foreign Application Priority Data**

Jun. 18, 2004	(JP)	2004-018278
Jun. 18, 2004	(JP)	2004-018279
Jun. 18, 2004	(JP)	2004-018280
Jun. 18, 2004	(JP)	2004-018281

FIG. 1 is a top perspective view of a first embodiment of a light emitting diode module of the present invention;
 FIG. 2 is a top view thereof;
 FIG. 3 is a first side view thereof, wherein the second side view is a mirror image thereof;
 FIG. 4 is a third side view thereof, wherein the fourth side view is a mirror image thereof;
 FIG. 5 is a top perspective view of a second embodiment of a light emitting diode module of the present invention;
 FIG. 6 is a top view thereof;
 FIG. 7 is a first side view thereof, wherein the second side view is a mirror image thereof;
 FIG. 8 is a third side view thereof, wherein the fourth side view is a mirror image thereof;
 FIG. 9 is a top perspective view of a third embodiment of a light emitting diode module of the present invention;
 FIG. 10 is a top view thereof;
 FIG. 11 is a first side view thereof, wherein the second side view is a mirror image thereof;
 FIG. 12 is a third side view thereof, wherein the fourth side view is a mirror image thereof;
 FIG. 13 is a top perspective view of a fourth embodiment of a light emitting diode module of the present invention;
 FIG. 14 is a top view thereof;
 FIG. 15 is a first side view thereof, wherein the second side view is a mirror image thereof; and,
 FIG. 16 is a third side view thereof, wherein the fourth side view is a mirror image thereof.
 The bottom view of each embodiment of the light emitting diode module of the present invention is flat and unornamented.

(51) **LOC (8) Cl.** **13-03**

(52) **U.S. Cl.** **D13/180**

(58) **Field of Classification Search** D13/180;
D26/2; 257/79, 80, 81, 82, 88, 89, 95, 98,
257/99, 100, 678, 680, 433, 434; 313/483,
313/498, 500; 361/820; 362/235, 555, 800;
372/45.01

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS


D262,405 S 12/1981 Zabransky

(Continued)

FOREIGN PATENT DOCUMENTS

JP	D1182538	8/2003
JP	D1182540	8/2003
JP	D1182541	8/2003
JP	D1182542	8/2003
JP	D1182543	8/2003
JP	D1183708	9/2003
JP	D1190712	11/2003

1 Claim, 16 Drawing Sheets



US D528,994 S

Page 2

U.S. PATENT DOCUMENTS

5,313,365	A *	5/1994	Pennisi et al.	361/760	D494,287	S	8/2004	Matsui et al.	
5,808,592	A	9/1998	Mizutani et al.		D494,288	S	8/2004	Matsui et al.	
6,071,755	A *	6/2000	Baba et al.	438/106	D494,687	S	8/2004	Matsui et al.	
6,220,722	B1	4/2001	Begemann		6,891,200	B1 *	5/2005	Nagai et al.	257/88
6,391,687	B1 *	5/2002	Cabahug et al.	438/123	6,949,772	B1 *	9/2005	Shimizu et al.	257/99
6,502,956	B1	1/2003	Wu		D514,530	S *	2/2006	Matsui et al.	D13/180
D474,848	S	5/2003	Lodhie		D515,517	S *	2/2006	Matsui et al.	D13/180
6,659,632	B1	12/2003	Chen		2003/0189829	A1 *	10/2003	Shimizu et al.	362/240
D494,286	S	8/2004	Matsui et al.						

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7



FIG. 8




FIG. 9




FIG. 10



FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16