



US00D529214S

(12) **United States Design Patent**  
**Sherring**

(10) **Patent No.:** **US D529,214 S**

(45) **Date of Patent:** **\*\* Sep. 26, 2006**

(54) **SAFETY LIGHT FOR ATTACHMENT TO A SAFETY HELMET**

*Primary Examiner*—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Andrew Wilford

(76) **Inventor:** **Paul David Sherring**, 2 The Row  
Hinton Waldrist, SN7 8RS Faringdon  
Oxfordshire (GB)

(57) **CLAIM**

The ornamental design for a safety light for attachment to a safety helmet, as shown and described.

(\*\*) **Term:** **14 Years**

**DESCRIPTION**

(21) **Appl. No.:** **29/234,635**

FIG. 1 is a perspective view of a safety light for attachment to a safety helmet showing a first embodiment of my new design;

(22) **Filed:** **Jul. 20, 2005**

FIG. 2 is a top plan view thereof;

(51) **LOC (8) Cl.** ..... **26-02**

FIG. 3 is a left side elevational view thereof, the right side being a mirror image;

(52) **U.S. Cl.** ..... **D26/39**

FIG. 4 is a front elevational view thereof;

(58) **Field of Classification Search** ..... D26/37-50;  
362/157, 158, 171-174, 183-208

FIG. 5 is a perspective view of a safety light for attachment to a safety helmet showing a second embodiment of my new design;

See application file for complete search history.

FIG. 6 is a top plan view thereof;

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

FIG. 7 is a left side elevational view thereof, the right side being a mirror image; and,

D376,469 S \* 12/1996 Harkness ..... D2/891

FIG. 8 is a front elevational view thereof.

D448,100 S \* 9/2001 Husband ..... D26/39

The protruberant casing is shaded to indicate that it is translucent with an elongate transparent window.

D487,997 S \* 4/2004 Natuzzi ..... D6/381

D509,612 S \* 9/2005 Amorin ..... D26/39

\* cited by examiner

**1 Claim, 2 Drawing Sheets**






FIG. 3




FIG. 4




FIG. 2




FIG. 1




FIG. 7




FIG. 8




FIG. 6




FIG. 5