

US00D529214S

(12) **United States Design Patent** (10) **Patent No.:** **US D529,214 S**
Sherring (45) **Date of Patent:** **** Sep. 26, 2006**

(54) **SAFETY LIGHT FOR ATTACHMENT TO A SAFETY HELMET**

(76) Inventor: **Paul David Sherring**, 2 The Row
Hinton Waldrist, SN7 8RS Faringdon
Oxfordshire (GB)

(**) Term: **14 Years**

(21) Appl. No.: **29/234,635**

(22) Filed: **Jul. 20, 2005**

(51) **LOC (8) Cl.** **26-02**

(52) **U.S. Cl.** **D26/39**

(58) **Field of Classification Search** D26/37-50;
362/157, 158, 171-174, 183-208
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D376,469 S	*	12/1996	Harkness	D2/891
D448,100 S	*	9/2001	Husband	D26/39
D487,997 S	*	4/2004	Natuzzi	D6/381
D509,612 S	*	9/2005	Amorin	D26/39

* cited by examiner

Primary Examiner—Marcus A. Jackson

(74) *Attorney, Agent, or Firm*—Andrew Wilford

(57) **CLAIM**

The ornamental design for a safety light for attachment to a safety helmet, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a safety light for attachment to a safety helmet showing a first embodiment of my new design;

FIG. 2 is a top plan view thereof;

FIG. 3 is a left side elevational view thereof, the right side being a mirror image;

FIG. 4 is a front elevational view thereof;

FIG. 5 is a perspective view of a safety light for attachment to a safety helmet showing a second embodiment of my new design;

FIG. 6 is a top plan view thereof;

FIG. 7 is a left side elevational view thereof, the right side being a mirror image; and,

FIG. 8 is a front elevational view thereof.

The protruberant casing is shaded to indicate that it is translucent with an elongate transparent window.

1 Claim, 2 Drawing Sheets






FIG. 3




FIG. 4




FIG. 2




FIG. 1




FIG. 7




FIG. 8




FIG. 6




FIG. 5