



US00D529435S

(12) **United States Design Patent** (10) **Patent No.:** **US D529,435 S**
Dumigan et al. (45) **Date of Patent:** **** Oct. 3, 2006**

- (54) **TIRE TREAD**
- (75) Inventors: **Keith A. Dumigan**, Akron, OH (US);
Timothy J. Lissan, Kent, OH (US);
John J. Regallis, Akron, OH (US)
- (73) Assignee: **Bridgestone Firestone North American Tire, LLC**, Nashville, TN (US)
- (**) Term: **14 Years**
- (21) Appl. No.: **29/224,658**
- (22) Filed: **Mar. 4, 2005**
- (51) **LOC (8) Cl.** **12-15**
- (52) **U.S. Cl.** **D12/600**
- (58) **Field of Classification Search** D12/513,
D12/544, 545, 551, 554, 555, 564, 565, 579,
D12/580, 586, 588, 589, 590, 591, 600, 601,
D12/900; 152/209.1, 201.9, 209.18, 209.25
See application file for complete search history.

- D480,043 S 9/2003 Hiroko
- D480,351 S 10/2003 Dixon et al.
- D481,354 S 10/2003 Hutz et al.
- D485,230 S 1/2004 Williams
- D485,232 S 1/2004 Nakamura
- D485,803 S 1/2004 Hutz et al.
- D490,050 S 5/2004 Kindig et al.
- D490,366 S * 5/2004 Kindig et al. D12/601
- D495,293 S 8/2004 Tahira

OTHER PUBLICATIONS

Gillette Accelerator G/T With UNI-T Tire, 2004 Tread Design Guide, Jan. 2004, p. 26. 3/1.*
 Monarch Road Hugger Radial G/T Tire, 2004 Tread Design Guide, Jan. 2004, p. 43. 2/3.*
 Sears Bridgestone Dueler DLT Tire, 2004 Tread Design Guide, Jan. 2004, p. 98, 3/2.*

* cited by examiner

Primary Examiner—Robert M. Spear
 (74) *Attorney, Agent, or Firm*—Timothy R. Krogh

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of a tire tread showing our new design, it being understood that the tread pattern is repeated throughout the circumference of the tire tread, the opposite side being the same as that shown; FIG. 2 is a front elevational view of the right side thereof, the opposite side being identical thereto; and, FIG. 3 is a side elevational view of the right side thereof, the opposite side being identical thereto; and, FIG. 4 is an enlarged fragmentary front elevational view thereof.


The broken lines defining the tire sidewall, inner bead, and the peripheral boundary between the claimed tire tread and sidewall are for illustrative purposes only and form no part of the claimed design.

In the drawings, the dark stippled surface shading represents the recessed portion of the tread grooves, having the depth shown at the top and bottom of FIG. 2.

1 Claim, 4 Drawing Sheets

(56) **References Cited**
U.S. PATENT DOCUMENTS

- D308,503 S 6/1990 Goergen et al.
- D348,424 S 7/1994 Maxwell et al.
- D350,099 S 8/1994 Manestar
- D350,102 S 8/1994 Evraert et al.
- D350,928 S 9/1994 Manestar
- D387,713 S 12/1997 Lissan et al.
- D390,516 S 2/1998 Lissan et al.
- D442,127 S 5/2001 Allison
- D447,724 S 9/2001 Edwards et al.
- D451,455 S 12/2001 Helt
- D455,119 S 4/2002 Welbes
- D456,320 S 4/2002 Hutz et al.
- D458,213 S 6/2002 Guspodin
- D458,582 S 6/2002 Rodicq et al.
- D458,586 S 6/2002 Demagall et al.
- D460,406 S 7/2002 Guspodin
- D462,654 S 9/2002 Nopper et al.
- 6,481,480 B1 11/2002 Schuster et al.
- D474,148 S 5/2003 Kindig et al.
- D478,864 S 8/2003 Hiroko
- D479,188 S 9/2003 Hutz et al.






FIG-1




FIG-2




FIG-3




FIG-4