

US00D529522S

(12) **United States Design Patent**  
**Yaksich**

(10) **Patent No.:** **US D529,522 S**

(45) **Date of Patent:** **\*\* Oct. 3, 2006**

(54) **CHUCK SLEEVE**

(75) Inventor: **Theodore G. Yaksich**, Seneca, SC (US)

(73) Assignee: **Jacobs Chuck Manufacturing Company**, Clemson, SC (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/210,967**

(22) Filed: **Aug. 9, 2004**

(51) **LOC (8) Cl.** ..... **15-09**

(52) **U.S. Cl.** ..... **D15/138**

(58) **Field of Classification Search** ..... D8/60-70;  
D15/140, 138, 139, 64, 65; 278/60-66; 279/60-63,  
279/66, 69, 75, 125, 157, 140, 901, 902;  
408/56, 240

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|              |    |           |                |       |         |
|--------------|----|-----------|----------------|-------|---------|
| 5,476,273    | A  | 12/1995   | Shadeck et al. | ..... | 279/60  |
| D409,210     | S  | * 5/1999  | Cooper         | ..... | D15/140 |
| D417,228     | S  | * 11/1999 | Miles          | ..... | D15/140 |
| D423,527     | S  | * 4/2000  | Sakamaki       | ..... | D15/140 |
| D434,630     | S  | * 12/2000 | Oliver et al.  | ..... | D8/70   |
| D513,691     | S  | * 1/2006  | Watson et al.  | ..... | D8/70   |
| 2004/0032095 | A1 | * 2/2004  | Rohm           | ..... | 279/62  |

**OTHER PUBLICATIONS**

Photos of co-molded chuck believed to be sold more than 1 year prior to the filing date of the present application.

"Figure 1" photograph of prior sold drill chuck.

\* cited by examiner

*Primary Examiner*—Antoine D. Davis

*Assistant Examiner*—Patricia Palasik

(74) *Attorney, Agent, or Firm*—Nelson Mullins Riley & Scarborough, L.L.P.

(57) **CLAIM**

The ornamental design of a chuck sleeve, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a chuck sleeve embodying the design of the present invention;

FIG. 2 is a front elevation view of the chuck sleeve illustrated in FIG. 1;

FIG. 3 is a back elevation view of the chuck sleeve shown in FIG. 1;

FIG. 4 is a left side view of the chuck sleeve shown in FIG. 1;


FIG. 5 is a right side view of the chuck sleeve shown in FIG. 1;


FIG. 6 is a top view of the chuck sleeve illustrated in FIG. 1; and,

FIG. 7 is a bottom view of the chuck sleeve illustrated in FIG. 1.


Broken lines are for illustrative purposes and form no part of the claim.

**1 Claim, 3 Drawing Sheets**







**Fig. 1**




**Fig. 2**




**Fig. 3**




**Fig. 4**



**Fig. 5**



**Fig. 6**



**Fig. 7**

UNITED STATES PATENT AND TRADEMARK OFFICE  
**CERTIFICATE OF CORRECTION**

PATENT NO. : Des. 529,522 S  
APPLICATION NO. : 29/210967  
DATED : October 3, 2006  
INVENTOR(S) : Theodore G. Yaksich

Page 1 of 5

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The title page should be deleted to appear as per attached title page.

The sheets of drawings consisting of figures 1-7 should be deleted to appear per attached figures 1-7.

Signed and Sealed this

Twenty-second Day of June, 2010

A handwritten signature in black ink that reads "David J. Kappos". The signature is written in a cursive, flowing style.

David J. Kappos  
*Director of the United States Patent and Trademark Office*

(12) **United States Design Patent**  
**Yaksich**

(10) **Patent No.:** **US D529,522 S**  
(45) **Date of Patent:** **\*\* Oct. 3, 2006**

(54) **CHUCK SLEEVE**

(75) **Inventor:** **Theodore G. Yaksich, Seneca, SC (US)**

(73) **Assignee:** **Jacobs Chuck Manufacturing Company, Clemson, SC (US)**

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/210,967**

(22) **Filed:** **Aug. 9, 2004**

(51) **LOC (8) Cl.** ..... **15-09**

(52) **U.S. Cl.** ..... **D15/138**

(58) **Field of Classification Search** ..... D8/60 70;  
D15/140, 138, 139, 64, 65; 278/60 66; 279/60 63,  
279/66, 69, 75, 125, 157, 140, 901, 902;  
408/56, 240

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|                 |           |                |         |
|-----------------|-----------|----------------|---------|
| 5,476,273 A     | 12/1995   | Shadeck et al. | 279/60  |
| D409,210 S      | * 5/1999  | Cooper         | D15/140 |
| D417,228 S      | * 11/1999 | Miles          | D15/140 |
| D423,527 S      | * 4/2000  | Sakamaki       | D15/140 |
| D434,630 S      | * 12/2000 | Oliver et al.  | D8/70   |
| D513,691 S      | * 1/2006  | Watson et al.  | D8/70   |
| 2004 0032095 A1 | * 2/2004  | Rohm           | 279/62  |

**OTHER PUBLICATIONS**

Photos of co-molded chuck believed to be sold more than 1 year prior to the filing date of the present application.  
"Figure 1" photograph of prior sold drill chuck.

\* cited by examiner

*Primary Examiner* Antoine D. Davis

*Assistant Examiner* Patricia Palasik

(74) *Attorney, Agent, or Firm* Nelson Mullins Riley & Scarborough, L.L.P.

(57) **CLAIM**

The ornamental design of a chuck sleeve, substantially as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a chuck sleeve embodying the design of the present invention;

FIG. 2 is a front elevation view of the chuck sleeve illustrated in FIG. 1;

FIG. 3 is a back elevation view of the chuck sleeve shown in FIG. 1;

FIG. 4 is a left side view of the chuck sleeve shown in FIG. 1;


FIG. 5 is a right side view of the chuck sleeve shown in FIG. 1;


FIG. 6 is a top view of the chuck sleeve illustrated in FIG. 1; and,

FIG. 7 is a bottom view of the chuck sleeve illustrated in FIG. 1.


Broken lines are for illustrative purposes and form no part of the claim.

**1 Claim, 3 Drawing Sheets**







**Fig. 1**



**Fig. 2**




**Fig. 3**




**Fig. 4**






**Fig. 5**



**Fig. 6**



**Fig. 7**