



US00D529568S

(12) **United States Design Patent**
Gauer

(10) **Patent No.:** **US D529,568 S**

(45) **Date of Patent:** **** Oct. 3, 2006**

(54) **GOLF SWING TRAINING GUIDE**

WO WO 91/04768 4/1991
WO WO 95/04577 2/1995

(76) Inventor: **Richard Gauer**, 226 Long Pond Rd.,
Hewitt, NJ (US) 07421

Primary Examiner—Mitchell Siegel
(74) *Attorney, Agent, or Firm*—Gerald E. Hespos; Anthony
J. Casella

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/235,407**

The ornamental design of a golf swing training guide, as
shown and described.

(22) Filed: **Aug. 1, 2005**

Related U.S. Application Data

DESCRIPTION

(63) Continuation-in-part of application No. 10/954,562, filed on
Sep. 30, 2004, now Pat. No. 6,945,875.

FIG. 1 is a front elevational view of a golf swing training
guide in accordance with my design and showed in a
collapsed condition of the golf swing training guide as
intended for storage;

(51) **LOC (8) Cl.** **21-02**

(52) **U.S. Cl.** **D21/791**

FIG. 2 is a top plan view of my golf swing training guide in
the condition shown in FIG. 1;

(58) **Field of Classification Search** D21/789,

D21/791; 473/141, 218, 270–273

FIG. 3 is a side elevational view as viewed from the left in
FIG. 2;

See application file for complete search history.

FIG. 4 is a side elevational view as viewed from the right in
FIG. 1;

(56) **References Cited**

U.S. PATENT DOCUMENTS

FIG. 5 is a rear elevational view of my design in the FIG. 1
condition;

1,484,064	A	2/1924	Erickson et al.	
2,150,580	A	3/1939	Crowley	
2,169,407	A	8/1939	Crowley	
D117,600	S	* 11/1939	Schneider D21/791
D171,586	S	* 3/1954	Eng D21/791
2,790,642	A	4/1957	Rolfe	
3,424,462	A	1/1969	Driscoll	
3,580,584	A	5/1971	Trosko	
3,658,344	A	4/1972	Kimble	
3,679,206	A	7/1972	Shambaugh	
3,758,117	A	9/1973	Harrison	
3,868,116	A	2/1975	Ford et al.	
D239,726	S	* 4/1976	Wintering et al. D21/791
3,992,013	A	11/1976	Golden	
4,095,797	A	6/1978	Breese	
4,355,810	A	10/1982	Rydeck	

FIG. 6 is a bottom plan view of my design in the FIG. 1
condition;

FIG. 7 is a front elevational view of my design in its
expanded and ready-to-use condition;

FIG. 8 is a top plan view of my design in the FIG. 8
condition;

FIG. 9 is a side elevational view as viewed from the left in
FIG. 7;


FIG. 10 is a side elevational view as viewed from the right
in FIG. 7;

FIG. 11 is a rear elevational view of my design in the FIG.
7 condition;

FIG. 12 is a bottom plan view of my design in the FIG. 7
condition;

FIG. 13 is a top plan view of my design in the collapsed
condition of FIG. 1, but showing a preferred array of indicia
imprinted thereon; and,

FIG. 14 is a top plan view of my design in the FIG. 7
condition but showing my preferred array of indicia thereon.



1 Claim, 9 Drawing Sheets

FOREIGN PATENT DOCUMENTS

GB	2 066 083	7/1981
GB	2 277 272	10/1994

(Continued)

US D529,568 S

Page 2

U.S. PATENT DOCUMENTS

D272,379	S	*	1/1984	Cachola	D21/791	D372,288	S	*	7/1996	Deics	D21/791
4,434,983	A		3/1984	Taggart			5,707,301	A		1/1998	Tollin		
4,789,158	A		12/1988	Chiesa			D402,730	S	*	12/1998	Hicks	D21/791
4,915,387	A		4/1990	Baxstrom			5,893,805	A		4/1999	Douglass		
D311,568	S	*	10/1990	Jacques	D21/791	D431,276	S	*	9/2000	Warkmeistetr	D21/791
D312,116	S	*	11/1990	Spagnola	D21/791	D446,276	S	*	8/2001	Bankhead	D21/791
5,108,106	A		4/1992	Cook			6,514,151	B1		2/2003	Delaplane		
5,398,937	A		3/1995	Regan			6,592,376	B1		7/2003	Carpenter		
5,527,037	A		6/1996	Matsumoto									

* cited by examiner




FIG.1




FIG. 2




FIG. 3




FIG. 4



FIG. 6



FIG. 5




FIG. 7

FIG.8



FIG.12



FIG.10





FIG.9






FIG. 11




FIG. 13




FIG.14