

US00D529827S

(12) **United States Design Patent**  
**Komulainen**

(10) **Patent No.:** **US D529,827 S**  
(45) **Date of Patent:** **\*\* Oct. 10, 2006**

(54) **COMBINATION OF A DEVICE WITH A HOUSING AND A BASE FOR MEASURING RUNNING SPEED, RUNNING DISTANCE AND STEP FREQUENCY**

D491,478 S 6/2004 Shoji et al.  
D491,479 S 6/2004 Hsu  
D492,108 S 6/2004 Goradesky  
D494,328 S 8/2004 Otsuka et al.

(Continued)

(75) Inventor: **Olli Komulainen**, Oulu (FI)

(73) Assignee: **Polar Electro Oy**, Kempele (FI)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/239,469**

(22) Filed: **Sep. 30, 2005**

(30) **Foreign Application Priority Data**

Apr. 1, 2005 (EM) ..... 000323746-0001

(51) **LOC (8) Cl.** ..... **10-04**

(52) **U.S. Cl.** ..... **D10/70**

(58) **Field of Classification Search** ..... D10/70,  
D10/97, 98; 235/95 C, 105; 377/5, 24.2,  
377/26; 702/144, 160, 176

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,649,552 A	3/1987	Yakawa	
D355,620 S	2/1995	Drimer	
D376,771 S	12/1996	Cheng	
D377,459 S	1/1997	Dziersk	
D380,983 S	7/1997	Lu	
5,650,982 A	7/1997	Takenaka et al.	
D381,936 S	8/1997	Anscher	
D413,893 S	9/1999	Luzbetak et al.	
D423,462 S	4/2000	Jimenez et al.	
D424,696 S	5/2000	Ray et al.	
D460,012 S	7/2002	Prouix et al.	
6,462,658 B1	10/2002	Bender	
D466,037 S	11/2002	Huchner et al.	
D467,198 S	12/2002	Yoshiguchi	
D476,251 S *	6/2003	Ogawa et al.	D10/70
D478,418 S	8/2003	Badillo et al.	
D478,576 S	8/2003	Leong	
6,658,079 B1	12/2003	Macklin et al.	
6,700,499 B1 *	3/2004	Kubo et al.	340/686.1

**FOREIGN PATENT DOCUMENTS**

JP 2002214691 7/2002  
WO WO88/04768 6/1988

**OTHER PUBLICATIONS**

U.S. Appl. No. 29/209,303, filed Jul. 14, 2004, Harju.  
U.S. Appl. No. 29/209,306, filed Jul. 14, 2004, Harju.  
U.S. Appl. No. 29/209,305, filed Jul. 14, 2004, Harju.  
Polar S625X Product Set, Polar S1™ Foot Pod (Undated).

*Primary Examiner*—Antoine D. Davis

(74) *Attorney, Agent, or Firm*—Hoffmann & Baron, LLP

(57) **CLAIM**

The ornamental design for a combination of a device with a housing and a base for measuring running speed, running distance and step frequency, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective top front right side view of a device with a housing and a base for measuring running speed, running distance and step frequency showing my new design;

FIG. 2 is a perspective view bottom front left side view thereof;

FIG. 3 is a top view thereof;

FIG. 4 is a bottom view thereof;

FIG. 5 is a front view thereof;

FIG. 6 is a back view thereof;


FIG. 7 is a left side view thereof;

FIG. 8 is a right side view thereof;

FIG. 9 is a perspective top front left side view thereof; and,

FIG. 10 is a perspective bottom front right side view thereof.

**1 Claim, 10 Drawing Sheets**



# US D529,827 S

Page 2

---

## U.S. PATENT DOCUMENTS

D494,484 S	8/2004	Bhavnani		D504,627 S	5/2005	Harju
D502,654 S	* 3/2005	Nishiura et al.	..... D10/70	2001/0024158 A1	9/2001	Steinmueller et al.
D502,670 S	3/2005	Yoshiguchi		2003/0000053 A1	1/2003	Rooney

\* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6






Fig. 7




Fig. 8




Fig. 9




Fig. 10