



US00D529988S

(12) **United States Design Patent**  
**Tse**

(10) **Patent No.:** **US D529,988 S**  
(45) **Date of Patent:** **\*\* Oct. 10, 2006**

(54) **SPRAY HEAD FOR SHOWERS**

D466,185 S \* 11/2002 Tse ..... D23/223  
D496,988 S \* 10/2004 Lin ..... D23/223

(76) Inventor: **Hing Fai Gary Tse**, 1908-1911, 19/F,  
Telford House, 16 Wang Hoi Road,  
Kowloon Bay, Kowloon, Hong Kong  
(CN)

\* cited by examiner

*Primary Examiner*—Robin Webster

(\*\*) Term: **14 Years**

(57) **CLAIM**

The ornamental design for a spray head for showers, as shown.

(21) Appl. No.: **29/229,456**

(22) Filed: **May 9, 2005**

**DESCRIPTION**

(51) **LOC (8) Cl.** ..... **23-01**

The claimed spray head for showers is used for releasing drops of water through the small holes.

(52) **U.S. Cl.** ..... **D23/223**

FIG. 1 is a front elevational view of a spray head for showers showing my new design;

(58) **Field of Classification Search** ..... D23/213,  
D23/223, 226; 239/394, 462

FIG. 2 is a rear elevational view thereof;

See application file for complete search history.

FIG. 3 is a left side view thereof;

FIG. 4 is a right side view thereof;

FIG. 5 is a top plan view thereof; and,



FIG. 6 is a bottom plan view thereof.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D349,947 S \* 8/1994 Hing-Wah ..... D23/223  
D465,548 S \* 11/2002 Tse ..... D23/223

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6