



US00D530236S

(12) **United States Design Patent**  
**Maegawa**

(10) **Patent No.:** **US D530,236 S**  
(45) **Date of Patent:** **\*\* Oct. 17, 2006**

(54) **OPERATION INDICATOR OF A HEATER**

FOREIGN PATENT DOCUMENTS

(75) Inventor: **Katsunori Maegawa**, Gifu (JP)  
(73) Assignee: **Rinnai Kabushiki Kaisha**, Nagoya (JP)  
(\*\*) Term: **14 Years**

JP 1103387 3/2001  
JP 1131920 1/2002  
JP 1178885 7/2003

\* cited by examiner

*Primary Examiner*—Brian N Vinson

(74) *Attorney, Agent, or Firm*—Banner & Witcoff, Ltd.

(21) Appl. No.: **29/194,283**

(22) Filed: **Nov. 24, 2003**

(57) **CLAIM**

(51) **LOC (8) Cl.** ..... **10-07**

The ornamental design for an operation indicator of a heater, as shown and described.

(52) **U.S. Cl.** ..... **D10/111**

(58) **Field of Classification Search** ..... D23/314,  
D23/330, 339, 341, 386, 499; D10/46, 49,  
D10/104, 109, 111, 121; D26/27, 30, 138,  
D26/152; 126/9 A, 92 A, 92 B, 92 AC, 110 B,  
126/110 D; 392/373–376

**DESCRIPTION**

See application file for complete search history.

FIG. 1 is a front view of an operation indicator of a heater showing my new design;  
FIG. 2 is a rear view thereof;  
FIG. 3 is a top plan view thereof;  
FIG. 4 is a left side elevational view thereof;  
FIG. 5 is a right side elevational view thereof; and,  
FIG. 6 is a perspective view thereof.


The broken lines in FIGS. 1 through 6 are shown for illustrative purposes only and form no part of the claimed design.

(56) **References Cited**


U.S. PATENT DOCUMENTS

D427,533 S \* 7/2000 Cowan et al. .... D10/75  
D429,323 S \* 8/2000 Rossman et al. .... D23/341  
D437,795 S \* 2/2001 Fischer ..... D10/70  
D505,997 S \* 6/2005 Maegawa ..... D23/332


**1 Claim, 5 Drawing Sheets**




**FIG. 1**




**FIG.2**




**FIG. 3**



**FIG. 4**



**FIG. 5**



**FIG.6**

