

(12) United States Design Patent (10) Patent No.: US D530,498 S Choi (45) **Date of Patent: **** Oct. 24, 2006

SHOE (54)

- Inventor: Sandra Choi, London (GB) (75)
- Assignee: J. Choo (Jersey) Limited, Jersey (GB) (73)
- (**) 14 Years Term:
- Appl. No.: 29/225,392 (21)
- (22) Filed: Mar. 14, 2005

D162,186 S	*	2/1951	Lacek D2/932
D193,087 S		6/1962	Levine
D504,216 S		4/2005	Choi
D509,052 S	*	9/2005	Choi D2/971

OTHER PUBLICATIONS

U.S. Appl. No. 29/216,953; filed Nov. 10, 2004.

* cited by examiner

Primary Examiner—Dominic Simone

- Foreign Application Priority Data (30)
- Sep. 28, 2004 (EM) 235361-011
- LOC (8) Cl. 02-99 (51)
- (52)
- Field of Classification Search D2/916–922, (58)D2/925–941, 969, 971; 36/11.5, 83 See application file for complete search history.

References Cited (56)

U.S. PATENT DOCUMENTS

D92,743	S	7/1934	Miller
D92,763	S *	7/1934	Miller D2/930
D93,709	S *	10/1934	Elkin D2/931
D93,888	S *	11/1934	Perugia D2/933
D95,083	S *	4/1935	Siegler D2/940
D104,733	S *	6/1937	Wertheim D2/931
D107,556	S	12/1937	Sobel
D143,689	S	1/1946	Vivier

(74) Attorney, Agent, or Firm—Fross Zelnick Lehrman & Zissu, P.C.; Lawrence E. Apolzon, Esq.

(57)CLAIM

The ornamental design for a shoe, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a shoe showing my shoe design; FIG. 2 is a right side view of the shoe shown in FIG. 1; FIG. 3 is a left side view of the shoe shown in FIG. 1; FIG. 4 is a top view of the shoe shown in FIG. 1; FIG. 5 is a rear view of the shoe shown in FIG. 1; and, FIG. 6 is a front perspective view of an alternative embodiment of the shoe shown in FIG. 1. The broken line showing of the heel, sole, and holes in the

straps is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 6 Drawing Sheets





U.S. Patent Oct. 24, 2006 Sheet 1 of 6 US D530,498 S



U.S. Patent Oct. 24, 2006 Sheet 2 of 6 US D530,498 S



U.S. Patent Oct. 24, 2006 Sheet 3 of 6 US D530,498 S



U.S. Patent Oct. 24, 2006 Sheet 4 of 6 US D530,498 S



U.S. Patent Oct. 24, 2006 Sheet 5 of 6 US D530,498 S



U.S. Patent Oct. 24, 2006 Sheet 6 of 6 US D530,498 S

