



US00D531223S

(12) **United States Design Patent**
Lynch

(10) **Patent No.:** **US D531,223 S**

(45) **Date of Patent:** **** Oct. 31, 2006**

(54) **PUSH PIN**

(76) **Inventor:** **Ky Lynch**, 4480 S. Braun Ct.,
Morrison, CO (US) 80465

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/242,824**

(22) **Filed:** **Nov. 14, 2005**

(51) **LOC (8) Cl.** **19-02**

(52) **U.S. Cl.** **D19/65**

(58) **Field of Classification Search** D8/388,
D8/394, 395; D19/65, 86, 87, 88, 90, 91,
D19/99, 100; 24/67 R, 67.3, 67.5, 67.7, 67.9,
24/67.11, 489, 563, 570, DIG. 8, DIG. 9;
40/658, 666

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | |
|-----------|----|----------|------------------|--------|
| 1,099,137 | A | 6/1914 | Williams | |
| 1,970,335 | A | 8/1934 | Place | |
| D322,388 | S | 12/1991 | Hoskinson et al. | |
| 5,112,177 | A | 5/1992 | Chamings | |
| 5,370,487 | A | 12/1994 | Kracke | |
| 5,484,126 | A | 1/1996 | Kitchin | |
| 5,507,459 | A | 4/1996 | Kiera | |
| D394,745 | S | * 6/1998 | Egelja | D2/999 |
| D428,058 | S | 7/2000 | Wagner | |
| 6,126,126 | A | 10/2000 | McKiernan, Jr. | |
| D438,452 | S | * 3/2001 | Tsai | D8/395 |
| 6,315,254 | B1 | 11/2001 | Maloney | |
| D453,294 | S | * 2/2002 | Bitzer | D8/395 |

| | | | | |
|--------------|----|-----------|-------------|---------|
| 6,443,409 | B1 | 9/2002 | Zanzucchi | |
| D464,994 | S | * 10/2002 | Rosen | D19/65 |
| 6,457,218 | B1 | * 10/2002 | Lawrence | 24/563 |
| D477,364 | S | * 7/2003 | Tsai | D19/65 |
| D492,351 | S | * 6/2004 | Sato et al. | D19/65 |
| D506,783 | S | * 6/2005 | Siegel | D19/65 |
| 2003/0101545 | A1 | * 6/2003 | Hsiao | 24/67.9 |

* cited by examiner

Primary Examiner—Elizabeth A. Albert

(74) *Attorney, Agent, or Firm*—Sheridan Ross, P.C.

(57) **CLAIM**

The ornamental design for a push pin, as shown and described.

DESCRIPTION

FIG. 1 is a side perspective view of the push pin, showing my new design;

FIG. 2 is a bottom plan view of the invention illustrated in FIG. 1;

FIG. 3 is a top plan view of the invention illustrated in FIG. 1;


FIG. 4 is a right elevation view of the invention illustrated in FIG. 1;

FIG. 5 is a left elevation view of the invention illustrated in FIG. 1;

FIG. 6 is a front elevation view of the invention shown in FIG. 1; and,

FIG. 7 is a rear elevation view of the invention illustrated in FIG. 1.

1 Claim, 2 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3

Fig. 4




Fig. 5




Fig. 6




Fig. 7

