



US00D531223S

(12) **United States Design Patent**  
**Lynch**

(10) **Patent No.:** **US D531,223 S**

(45) **Date of Patent:** **\*\* Oct. 31, 2006**

(54) **PUSH PIN**

(76) **Inventor:** **Ky Lynch**, 4480 S. Braun Ct.,  
Morrison, CO (US) 80465

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/242,824**

(22) **Filed:** **Nov. 14, 2005**

(51) **LOC (8) Cl.** ..... **19-02**

(52) **U.S. Cl.** ..... **D19/65**

(58) **Field of Classification Search** ..... D8/388,  
D8/394, 395; D19/65, 86, 87, 88, 90, 91,  
D19/99, 100; 24/67 R, 67.3, 67.5, 67.7, 67.9,  
24/67.11, 489, 563, 570, DIG. 8, DIG. 9;  
40/658, 666

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|           |    |          |                  |        |
|-----------|----|----------|------------------|--------|
| 1,099,137 | A  | 6/1914   | Williams         |        |
| 1,970,335 | A  | 8/1934   | Place            |        |
| D322,388  | S  | 12/1991  | Hoskinson et al. |        |
| 5,112,177 | A  | 5/1992   | Chamings         |        |
| 5,370,487 | A  | 12/1994  | Kracke           |        |
| 5,484,126 | A  | 1/1996   | Kitchin          |        |
| 5,507,459 | A  | 4/1996   | Kiera            |        |
| D394,745  | S  | * 6/1998 | Egelja           | D2/999 |
| D428,058  | S  | 7/2000   | Wagner           |        |
| 6,126,126 | A  | 10/2000  | McKiernan, Jr.   |        |
| D438,452  | S  | * 3/2001 | Tsai             | D8/395 |
| 6,315,254 | B1 | 11/2001  | Maloney          |        |
| D453,294  | S  | * 2/2002 | Bitzer           | D8/395 |

|              |    |           |             |         |
|--------------|----|-----------|-------------|---------|
| 6,443,409    | B1 | 9/2002    | Zanzucchi   |         |
| D464,994     | S  | * 10/2002 | Rosen       | D19/65  |
| 6,457,218    | B1 | * 10/2002 | Lawrence    | 24/563  |
| D477,364     | S  | * 7/2003  | Tsai        | D19/65  |
| D492,351     | S  | * 6/2004  | Sato et al. | D19/65  |
| D506,783     | S  | * 6/2005  | Siegel      | D19/65  |
| 2003/0101545 | A1 | * 6/2003  | Hsiao       | 24/67.9 |

\* cited by examiner

*Primary Examiner*—Elizabeth A. Albert

(74) *Attorney, Agent, or Firm*—Sheridan Ross, P.C.

(57) **CLAIM**

The ornamental design for a push pin, as shown and described.

**DESCRIPTION**

FIG. 1 is a side perspective view of the push pin, showing my new design;

FIG. 2 is a bottom plan view of the invention illustrated in FIG. 1;

FIG. 3 is a top plan view of the invention illustrated in FIG. 1;


FIG. 4 is a right elevation view of the invention illustrated in FIG. 1;


FIG. 5 is a left elevation view of the invention illustrated in FIG. 1;

FIG. 6 is a front elevation view of the invention shown in FIG. 1; and,


FIG. 7 is a rear elevation view of the invention illustrated in FIG. 1.

**1 Claim, 2 Drawing Sheets**






**Fig. 1**




**Fig. 2**




**Fig. 3**


**Fig. 4**



**Fig. 5**



**Fig. 6**



**Fig. 7**

