



US00D531719S

(12) **United States Design Patent** (10) **Patent No.:** **US D531,719 S**
Rumens (45) **Date of Patent:** **** Nov. 7, 2006**

(54) **FIREPLACE FRAME**
(75) Inventor: **Kurt W. F. Rumens**, Kirkland, WA
(US)
(73) Assignee: **Travis Industries, Inc.**, Mukilteo, WA
(US)
(**) Term: **14 Years**

GB P 00034 A 9/1914
GB 318 723 9/1929
GB 450 149 A 7/1936
GB 669 309 4/1952
GB 2 180 927 A 4/1987
GB 2 298 073 A 8/1996
GB 2 372 807 A 9/2002

(21) Appl. No.: **29/225,981**
(22) Filed: **Mar. 22, 2005**

OTHER PUBLICATIONS

U.S. Appl. No. 10/411,780, Kurt Rumens.
U.S. Appl. No. 10/811,068, Kurt Rumens.
U.S. Appl. No. 29/179,640, Kurt Rumens.

(Continued)

Related U.S. Application Data

(60) Continuation of application No. 29/212,379, filed on Aug. 31, 2004, now Pat. No. Des. 509,581, which is a division of application No. 29/202,497, filed on Mar. 31, 2004, now Pat. No. Des. 499,178, which is a division of application No. 29/179,641, filed on Apr. 11, 2003, now Pat. No. Des. 489,807.

Primary Examiner—Robert A Delehanty
(74) *Attorney, Agent, or Firm*—Perkins Coie, LLP

(57) **CLAIM**

The ornamental design for the fireplace frame, as shown and described.

(51) **LOC (8) Cl.** **23-03**
(52) **U.S. Cl.** **D23/404**
(58) **Field of Classification Search** D23/386,
D23/398, 403–406, 499; 52/36.3; 126/500,
126/520, 544, 502; 16/DIG. 11; D25/60
See application file for complete search history.

DESCRIPTION

FIG. 1 is an isometric view of the fireplace frame showing our new design;
FIG. 2 is a front elevation view thereof;
FIG. 3 is a rear elevation view thereof;
FIG. 4 is a right-side elevation view thereof; the left-side elevation view is substantially the same as the right-side elevation view;
FIG. 5 is a top plan view thereof; and,
FIG. 6 is a bottom plan view thereof.
FIG. 7 is an isometric view of a second embodiment of the fireplace frame showing our new design;
FIG. 8 is a front elevation view thereof;
FIG. 9 is a rear elevation view thereof;
FIG. 10 is a right-side elevation view thereof; the left-side elevation view is a mirror image thereof;
FIG. 11 is a top plan view thereof; and,
FIG. 12 is a bottom plan view of the thereof.

(56) **References Cited**
U.S. PATENT DOCUMENTS
283,395 A 8/1883 Holt
579,740 A 3/1897 Cohen
D27,157 S 6/1897 Camenisch
D32,539 S 4/1900 Campbell


The broken lines showing of portions of the fireplace frame and the interior of a firebox are for illustrative purposes only and form no part of the claimed design.

(Continued)

FOREIGN PATENT DOCUMENTS

DE 201 05 006 U 6/2001
EP 0 611 921 8/1994
EP 1 199 524 A 4/2002
EP 1 233 237 A 8/2002
EP 1 275 903 1/2003
EP 1 403 585 3/2004

1 Claim, 6 Drawing Sheets



U.S. PATENT DOCUMENTS

D80,975 S 5/1930 Sloss
 D178,132 S 6/1956 Love
 3,954,913 A 4/1972 Derrigner et al.
 3,778,945 A 12/1973 Medow
 4,112,913 A 9/1978 Shimek et al.
 D269,036 S 5/1983 Bortz
 4,465,055 A 8/1984 Bortz
 4,475,531 A 10/1984 Gerhart
 4,572,156 A 2/1986 Lentz
 D311,574 S 10/1990 Syme et al.
 5,009,220 A 4/1991 Cornelison
 D385,023 S 10/1997 Newman et al.
 5,738,084 A 4/1998 Hussong
 5,775,408 A 7/1998 Shimek et al.
 5,794,610 A 8/1998 Facchina
 5,826,357 A 10/1998 Hechler
 5,887,388 A 3/1999 Hempel et al.
 5,983,890 A 11/1999 Thomas et al.
 6,029,655 A 2/2000 Hussong et al.
 D431,646 S 10/2000 Mattarelli
 6,142,143 A 11/2000 Martin
 6,152,551 A 11/2000 Annas
 6,269,809 B1 8/2001 Fleming
 6,439,226 B1 8/2002 Johnson
 D465,023 S 10/2002 Caldwell
 6,601,579 B1 8/2003 Fier
 D489,807 S 5/2004 Rumens
 D499,178 S 11/2004 Rumens
 2002/0170215 A1 11/2002 Mix

OTHER PUBLICATIONS

U.S. Appl. No. 29/212,335, Kurt Rumens.
 U.S. Appl. No. 29/212,379, Kurt Rumens.

U.S. Appl. No. 29/212,380, Kurt Rumens.
 U.S. Appl. No. 29/212,381, Kurt Rumens.
 U.S. Appl. No. 29/212,383, Kurt Rumens.
 U.S. Appl. No. 29/212,401, Kurt Rumens.
 Waterford Gas and Wood Catalog, pp. 1, 5, 8, and 9.
 Berkshire Cast Iron & Stone Gas Stoves Catalog, Copyright 2001, pp. 6 and 7.
 Regency Fireplace Products Home Page, Jan. 18, 2002 (1 page) <http://www.regency-fire.com>.
 Regency Fireplace Products Brochure, "What's New for 2002" (1 page).
 Fireplace Xtrordinair, Direct Vent Gas Fireplaces, Product Brochure, Copyright 1997 (6 pages).
 Better Homes and Gardens Special Interest Publications, Building Ideas for Your New Home, Winter 1995, pp. 86-91.
 Better Homes and Gardens Special Interest Publications, Home Products Guide, Fall/Winter 1999, pp. 70-77.
 Hearth & Home, A Publication of Village West Publishing, Feb. 2002, pp. 13, 25, 33, 35 and 45.
 HearthWarming, A Guide to Hearth Products, A Publication of Village West Publishing, Copyright 1997, pp. 13 and un-numbered.
 HearthWarming, A Guide to Hearth Products, A Publication of Village West Publishing, Copyright 1998, pp. 26 and un-numbered.
 Log Home Living, Sep. 2000, p. 63.
 Northwest Home Comfort, 2000/2001, p. 25.
 HearthWarming, A Guide to Hearth Products, Hearth & Home Fireside, Copyright 2001, p. 21.




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 531,719 S
APPLICATION NO. : 29/225981
DATED : November 7, 2006
INVENTOR(S) : Kurt W.F. Rumens

Page 1 of 8

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

The title page showing an illustrative fig. 1 should be deleted and substitute therefore the attached title page consisting of Fig. 1.

Fig. 1 should be deleted and replaced with Fig. 1 as shown on the attached page 3 of 8.

Fig. 2 and 3 should be deleted and replaced with Figs. 2 and 3 as shown on the attached page 4 of 8.

Fig. 4, 5 and 6 should be deleted and replaced with Figs. 4, 5 and 6 as shown on the attached page 5 of 8.

Fig. 7 should be deleted and replaced with Fig. 7 as shown on the attached page 6 of 8.

Figs. 8 and 9 should be deleted and replaced with Figs. 8 and 9 as shown on the attached page 7 of 8.

Figs. 10, 11, 12 should be deleted and replaced with Figs. 10, 11 and 12 as shown on the attached page 8 of 8.

Signed and Sealed this

Sixteenth Day of September, 2008



JON W. DUDAS

Director of the United States Patent and Trademark Office

(12) **United States Design Patent** (10) **Patent No.:** **US D531,719 S**
Rumens (45) **Date of Patent:** **Nov. 7, 2006**

(54) **FIREPLACE FRAME**
 (75) Inventor: **Kurt W. F. Rumens, Kirkland, WA (US)**
 (73) Assignee: **Travis Industries, Inc., Mukilteo, WA (US)**
 (**) Term: **14 Years**

GB	P 00034 A	9/1914
GB	318 723	9/1929
GB	450 149 A	7/1936
GB	669 309	4/1952
GB	2 180 927 A	4/1987
GB	2 298 073 A	8/1996
GB	2 372 807 A	9/2002

(21) Appl. No.: **29/225,981**
 (22) Filed: **Mar. 22, 2005**

OTHER PUBLICATIONS

U.S. Appl. No. 10/411,780, Kurt Rumens.
 U.S. Appl. No. 10/811,068, Kurt Rumens.
 U.S. Appl. No. 29/179,640, Kurt Rumens.

(Continued)

Related U.S. Application Data

(60) Continuation of application No. 29/212,379, filed on Aug. 31, 2004, now Pat. No. Des. 509,584, which is a division of application No. 29/202,497, filed on Mar. 31, 2004, now Pat. No. Des. 499,178, which is a division of application No. 29/179,641, filed on Apr. 13, 2003, now Pat. No. Des. 489,807.

Primary Examiner--Robert A. DeLchanty
 (74) Attorney, Agent, or Firm--Perkins Coie, LLP

CLAIM

(57) The ornamental design for the fireplace frame, as shown and described.

DESCRIPTION

(51) **LOC (8) Cl.** 23-03
 (52) **U.S. Cl.** D23/404
 (58) **Field of Classification Search** D23/386, D23/398, 403-406, 498; 52/36.3; 126/500, 126/520, 544, 502; 16/DIG. 11; D25/60
 See application file for complete search history.


FIG. 1 is an isometric view of the fireplace frame showing our new design;
 FIG. 2 is a front elevation view thereof;
 FIG. 3 is a rear elevation view thereof;
 FIG. 4 is a right-side elevation view thereof; the left-side elevation view is substantially the same as the right-side elevation view;
 FIG. 5 is a top plan view thereof; and,
 FIG. 6 is a bottom plan view thereof.
 FIG. 7 is an isometric view of a second embodiment of the fireplace frame showing our new design;
 FIG. 8 is a front elevation view thereof;
 FIG. 9 is a rear elevation view thereof;
 FIG. 10 is a right-side elevation view thereof; the left-side elevation view is a mirror image thereof;
 FIG. 11 is a top plan view thereof; and,
 FIG. 12 is a bottom plan view of the thereof.
 The broken lines showing of portions of the fireplace frame and the interior of a firebox are for illustrative purposes only and form no part of the claimed design.

(56) **References Cited**
U.S. PATENT DOCUMENTS
 283,395 A 8/1883 Holt
 579,740 A 3/1897 Cohen
 D27,157 S 6/1897 Cameniach
 D32,539 S 4/1900 Campbell

(Continued)

FOREIGN PATENT DOCUMENTS
 DE 201 05 006 U 6/2001
 EP 0 611 921 8/1994
 EP 1 199 524 A 4/2002
 EP 1 233 237 A 8/2002
 EP 1 275 903 1/2003
 EP 1 403 585 3/2004

1 Claim, 6 Drawing Sheets



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 531,719 S
APPLICATION NO. : 29/225981
DATED : November 7, 2006
INVENTOR(S) : Kurt W.F. Rumens

Page 3 of 8

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

DRAWINGS




Fig. 1

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 531,719 S
APPLICATION NO. : 29/225981
DATED : November 7, 2006
INVENTOR(S) : Kurt W.F. Rumens

Page 4 of 8

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

DRAWINGS (continued)




Fig. 2




Fig. 3

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 531,719 S
APPLICATION NO. : 29/225981
DATED : November 7, 2006
INVENTOR(S) : Kurt W.F. Rumens

Page 5 of 8

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

DRAWINGS (continued)




Fig. 4




Fig. 5




Fig. 6

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 531,719 S
APPLICATION NO. : 29/225981
DATED : November 7, 2006
INVENTOR(S) : Kurt W.F. Rumens

Page 6 of 8

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

DRAWINGS (continued)




Fig. 7

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 531,719 S
APPLICATION NO. : 29/225981
DATED : November 7, 2006
INVENTOR(S) : Kurt W.F. Rumens

Page 7 of 8

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

DRAWINGS (continued)




Fig. 8




Fig. 9

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 531,719 S
APPLICATION NO. : 29/225981
DATED : November 7, 2006
INVENTOR(S) : Kurt W.F. Rumens

Page 8 of 8

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

DRAWINGS (continued)




Fig. 10




Fig. 11




Fig. 12