



US00D531889S

(12) **United States Design Patent**  
**Woltmann et al.**

(10) **Patent No.:** **US D531,889 S**

(45) **Date of Patent:** **\*\* Nov. 14, 2006**

(54) **FASTENER**

(75) Inventors: **Klaus Woltmann**, Demarest, NJ (US);  
**Jonathan Willinger**, Tenafly, NJ (US)

(73) Assignee: **JW Pet Company, Inc.**, Teterboro, NJ  
(US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/229,612**

(22) Filed: **May 10, 2005**

(51) **LOC (8) Cl.** ..... **08-08**

(52) **U.S. Cl.** ..... **D8/382; D8/370**

(58) **Field of Classification Search** ..... D8/349,  
D8/370, 373, 367, 382; 248/231.81, 301-304,  
248/309.14, 317, 339, 916; 24/375; 211/119  
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D27,073 S	*	5/1897	Frantz	.....	D8/382
D249,020 S	*	8/1978	Raniero	.....	D8/382
D272,518 S	*	2/1984	Smith	.....	D8/382
D273,176 S	*	3/1984	Abbott	.....	D8/356
D280,596 S	*	9/1985	Keeler	.....	D8/382
D330,669 S	*	11/1992	Hui-Chuan	.....	D8/382
D358,083 S	*	5/1995	Pate	.....	D8/370
D421,712 S	*	3/2000	Brown et al.	.....	D8/370
D431,181 S	*	9/2000	Leitzke et al.	.....	D8/382
D432,264 S	*	10/2000	Nicol	.....	D28/39
D432,905 S	*	10/2000	Sutker et al.	.....	D8/394
D442,849 S	*	5/2001	Thomas	.....	D8/356
D452,812 S	*	1/2002	Thomas	.....	D8/367
D455,334 S	*	4/2002	Ivankovic	.....	D8/366
D457,420 S	*	5/2002	Kalat	.....	D8/370
D466,791 S	*	12/2002	Kelleghan	.....	D8/356
D469,682 S	*	2/2003	Gary et al.	.....	D8/367

D469,683 S	*	2/2003	Votruba et al.	.....	D8/382
D481,296 S	*	10/2003	Chen	.....	D8/367
D481,927 S	*	11/2003	Wu	.....	D8/371
D492,890 S	*	7/2004	Adams	.....	D8/367
D495,242 S	*	8/2004	Kucera et al.	.....	D8/367
D504,306 S	*	4/2005	Chisolm	.....	D8/356

\* cited by examiner

*Primary Examiner*—Holly H. Baynham

*Assistant Examiner*—Cynthia M. Chin

(74) *Attorney, Agent, or Firm*—Myers Wolin, LLC


(57) **CLAIM**

The ornamental design for a fastener, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a first embodiment of a fastener showing our new design;  
 FIG. 2 is a front elevation view thereof;  
 FIG. 3 is a rear elevation view thereof;  
 FIG. 4 is a left side elevation view thereof;  
 FIG. 5 is a right side elevation view thereof;  
 FIG. 6 is a top view thereof;  
 FIG. 7 is a bottom view thereof;  
 FIG. 8 is a reduced environmental view thereof;  
 FIG. 9 is a perspective view of a second embodiment showing our new design;  
 FIG. 10 is a front elevation view thereof;  
 FIG. 11 is a rear elevation view thereof;  
 FIG. 12 is a left side elevation view thereof;  
 FIG. 13 is a right side elevation view thereof;  
 FIG. 14 is a top view thereof;  
 FIG. 15 is a bottom view thereof; and,  
 FIG. 16 is a reduced environmental view thereof.  
 The broken lines are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 14 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3



FIG. 4




FIG. 5



FIG. 6




FIG. 7






FIG. 8






FIG. 9




FIG. 10




FIG. 11




FIG. 12



FIG. 13




FIG. 14




FIG. 15




FIG. 16