



US00D531955S

(12) **United States Design Patent**
Fontaine et al.

(10) **Patent No.:** **US D531,955 S**

(45) **Date of Patent:** **** Nov. 14, 2006**

(54) **TIRE TREAD**

(75) Inventors: **Sebastien Willy Fontaine**, Burden (LU); **Sebastien Morin**, Bissen (LU); **Kenneth Jenner Powell**, Vaux-sur-Sure (BE); **Vincent Dominique Rion**, Rameldange (LU); **Michel Marguerite Walther Ghislan Constant**, Bastogne (BE); **Edouard Leon Hoffmann**, Kehmen (LU); **Marc Hubert**, Chatillon (BE)

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/243,857**

(22) Filed: **Dec. 1, 2005**

(51) **LOC (8) Cl.** **12-15**

(52) **U.S. Cl.** **D12/588**

(58) **Field of Classification Search** D12/534, D12/537, 551, 552, 553, 554, 555, 556, 586, D12/587, 588, 589, 590, 591, 900; 152/209.1, 152/209.11, 209.13, 209.28
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D379,444 S	5/1997	Graas et al.	D12/147
D397,650 S	* 9/1998	Himuro	D12/551
D402,243 S	12/1998	Heinen	D12/147
D451,853 S	12/2001	Heinen et al.	D12/146
D455,116 S	* 4/2002	Graas et al.	D12/553
D471,150 S	* 3/2003	Endo et al.	D12/551
D484,846 S	* 1/2004	Graas	D12/551

D492,642 S	7/2004	Heinen et al.	D12/551
D504,105 S	* 4/2005	Landers et al.	D12/553
D504,106 S	4/2005	de Briey-Terlinden et al.	..	D12/553
D504,387 S	4/2005	Welbes et al.	D12/549
D512,015 S	* 11/2005	Landers et al.	D12/552
D512,958 S	* 12/2005	Allison et al.	D12/552
D514,059 S	* 1/2006	Dixon	D12/552

OTHER PUBLICATIONS

Nexen N2000P Tire, 2004 Tread Design Guide, Jan. 2004, p. 46. 1/4.*

Nokian Hakkapeliitta 2 Tire, 2004 Tread Design Guide, Jan. 2004, p. 47. 2/5.*

* cited by examiner

Primary Examiner—Robert M. Spear

(74) *Attorney, Agent, or Firm*—Richard B. O'Planick

(57) **CLAIM**

The ornamental Design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;


FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the other side being a mirror image thereof; and,

FIG. 4 is an enlarged fragmentary front elevational view thereof.

In the drawings, the broken lines defining the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4