

US00D531979S

(12) **United States Design Patent** (10) **Patent No.:** **US D531,979 S**
Pettit et al. (45) **Date of Patent:** **** *Nov. 14, 2006**

(54) **TELECOMMUNICATIONS TERMINAL**

(75) Inventors: **Marie A. Pettit**, Oakhurst, NJ (US);
Gerard William Elson, Basking Ridge,
NJ (US)

(73) Assignee: **Avaya Technology Corp.**, Basking
Ridge, NJ (US)

(*) Notice: This patent is subject to a terminal dis-
claimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/214,135**

(22) Filed: **Sep. 28, 2004**

(51) **LOC (8) Cl.** **14-03**

(52) **U.S. Cl.** **D14/151**

(58) **Field of Classification Search** D14/149–151,
D14/147–148, 251–253, 144, 143, 130, 329,
D14/330, 434, 140, 142; 379/419, 428.01–428.04,
379/440; D13/107, 108; D21/517

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D282,545 S	*	2/1986	Inagi et al.		D14/151
D294,023 S	*	2/1988	Sekiguchi et al.		D14/151
D300,740 S	*	4/1989	Sekiguchi et al.		D14/151
D303,798 S	*	10/1989	Yamakawa		D14/151
D312,459 S	*	11/1990	Oshima et al.		D14/151
D319,054 S	*	8/1991	Appleby		D14/151
D319,642 S	*	9/1991	Ando		D14/151
D321,872 S	*	11/1991	Ando		D14/151
D322,612 S	*	12/1991	Abrams		D14/151
D348,670 S	*	7/1994	Yoneyama		D14/151
D354,956 S	*	1/1995	Toh et al.		D14/151
D368,090 S	*	3/1996	Zeitman		D14/151
D368,091 S	*	3/1996	Yoshihiko et al.		D14/151
D375,093 S	*	10/1996	Babbitt et al.		D14/151

D390,226 S	*	2/1998	Mak et al.		D14/149
5,745,562 A	*	4/1998	Penning		379/215.01
5,862,214 A	*	1/1999	Aggus et al.		379/435
D406,842 S	*	3/1999	Zeitman		D14/151
D410,648 S	*	6/1999	Zeitman		D14/151
6,088,447 A	*	7/2000	Aggus et al.		379/428.03
D431,540 S	*	10/2000	Morisue et al.		D14/151
D451,486 S	*	12/2001	Sekiguchi		D14/151
D490,393 S	*	5/2004	Taniguchi et al.		D14/151
D490,394 S	*	5/2004	Taniguchi et al.		D14/151

* cited by examiner

Primary Examiner—Jeffrey Asch

(74) *Attorney, Agent, or Firm*—DeMont & Breyer, LLC

(57) **CLAIM**

The ornamental design for a telecommunications terminal,
as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a design for a telecommu-
nications terminal. In FIG. 1, the display of the terminal is
depicted in a raised position.

FIG. 2 is a top plan view of the design for the telecommu-
nications terminal that is depicted in FIG. 1. In FIG. 2, the
display of the terminal is in a down position, wherein it is
flush with the surface of the terminal.

FIG. 3 is a right side view of the design for the telecom-
munications terminal that is depicted in FIG. 1. In FIG. 3,
the display of the terminal is in the down position.

FIG. 4 is a front view of the design for the telecommuni-
cations terminal that is depicted in FIG. 1. In FIG. 4, the
display of the terminal is in the down position; and,

FIG. 5 is a back view of the design for the telecommuni-
cations terminal that is depicted in FIG. 1. In FIG. 5, the
display of the terminal is in the down position.

The broken line showing of a handset in FIG. 1 is for
illustrative purposes only and forms no part of the claimed
design.

1 Claim, 3 Drawing Sheets




FIG. 1



FIG. 3




FIG. 2




FIG. 4




FIG. 5

