



US00D531983S

(12) **United States Design Patent**  
**Akita**

(10) **Patent No.:** **US D531,983 S**

(45) **Date of Patent:** **\*\* Nov. 14, 2006**

(54) **RADIOCOMMUNICATION EQUIPMENT**

D504,881 S \* 5/2005 Kangasmaa ..... D14/188  
D516,577 S \* 3/2006 Matsuoka ..... D14/496

(75) Inventor: **Yasushi Akita**, Osaka (JP)

\* cited by examiner

(73) Assignee: **Icom Incorporated**, Osaka (JP)

*Primary Examiner*—Prabhakar Deshmukh  
(74) *Attorney, Agent, or Firm*—Wenderoth, Lind & Ponack,  
L.L.P.

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/236,155**

(57) **CLAIM**

(22) Filed: **Aug. 12, 2005**

The ornamental design for radiocommunication equipment,  
as shown and described.

(51) **LOC (8) Cl.** ..... **14-03**

(52) **U.S. Cl.** ..... **D14/188; D14/217**

(58) **Field of Classification Search** ..... D14/188,  
D14/137, 160, 168, 217, 265, 192–197, 257,  
D14/258, 299; 455/344–351; 369/1, 6–12  
See application file for complete search history.

**DESCRIPTION**

FIG. 1 is a front view of the radiocommunication equipment  
according to the present invention.

FIG. 2 is a perspective view of the radiocommunication  
equipment according to present invention as seen from the  
front, top and right side thereof.

FIG. 3 is a top view of the radiocommunication equipment  
according to the present invention.

FIG. 4 is a bottom view of the radiocommunication equip-  
ment according to the present invention; and,

FIG. 5 is a left side view of the radiocommunication  
equipment according to the present invention.

The broken lines, which define the bounds of the claimed  
design, form no part thereof. The broken lines are for  
illustrative purpose only and form no part of the claimed  
design.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|           |   |   |         |                    |       |           |
|-----------|---|---|---------|--------------------|-------|-----------|
| 4,181,823 | A | * | 1/1980  | DeLamoreaux et al. | ..... | 369/10    |
| 4,870,702 | A | * | 9/1989  | Azzouni            | ..... | 455/346   |
| 5,471,659 | A | * | 11/1995 | Wong               | ..... | 455/132   |
| 5,523,531 | A | * | 6/1996  | Ozaki              | ..... | 200/5 R   |
| 5,867,774 | A | * | 2/1999  | Summers et al.     | ..... | 455/575.1 |
| D422,598  | S | * | 4/2000  | Teulie             | ..... | D14/265   |
| D436,093  | S | * | 1/2001  | Okada et al.       | ..... | D14/168   |
| D439,227  | S | * | 3/2001  | Okada et al.       | ..... | D14/136   |
| D455,728  | S | * | 4/2002  | Kobayashi          | ..... | D14/168   |
| D457,880  | S | * | 5/2002  | Suzuki et al.      | ..... | D14/257   |
| D474,755  | S | * | 5/2003  | Senda et al.       | ..... | D14/135   |

**1 Claim, 5 Drawing Sheets**





FIG. 1






FIG. 2

FIG. 3




FIG. 4




FIG. 5

