

US00D531983S

(12) **United States Design Patent**
Akita

(10) **Patent No.:** **US D531,983 S**

(45) **Date of Patent:** **** Nov. 14, 2006**

(54) **RADIOCOMMUNICATION EQUIPMENT**

D504,881 S * 5/2005 Kangasmaa D14/188
D516,577 S * 3/2006 Matsuoka D14/496

(75) Inventor: **Yasushi Akita**, Osaka (JP)

* cited by examiner

(73) Assignee: **Icom Incorporated**, Osaka (JP)

Primary Examiner—Prabhakar Deshmukh

(**) Term: **14 Years**

(74) *Attorney, Agent, or Firm*—Wenderoth, Lind & Ponack,
L.L.P.

(21) Appl. No.: **29/236,155**

(57) **CLAIM**

(22) Filed: **Aug. 12, 2005**

The ornamental design for radiocommunication equipment,
as shown and described.

(51) **LOC (8) Cl.** **14-03**

(52) **U.S. Cl.** **D14/188; D14/217**

(58) **Field of Classification Search** D14/188,
D14/137, 160, 168, 217, 265, 192–197, 257,
D14/258, 299; 455/344–351; 369/1, 6–12
See application file for complete search history.

DESCRIPTION

FIG. 1 is a front view of the radiocommunication equipment
according to the present invention.

FIG. 2 is a perspective view of the radiocommunication
equipment according to present invention as seen from the
front, top and right side thereof.

FIG. 3 is a top view of the radiocommunication equipment
according to the present invention.

FIG. 4 is a bottom view of the radiocommunication equip-
ment according to the present invention; and,

FIG. 5 is a left side view of the radiocommunication
equipment according to the present invention.

The broken lines, which define the bounds of the claimed
design, form no part thereof. The broken lines are for
illustrative purpose only and form no part of the claimed
design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,181,823	A	*	1/1980	DeLamoreaux et al.	369/10
4,870,702	A	*	9/1989	Azzouni	455/346
5,471,659	A	*	11/1995	Wong	455/132
5,523,531	A	*	6/1996	Ozaki	200/5 R
5,867,774	A	*	2/1999	Summers et al.	455/575.1
D422,598	S	*	4/2000	Teulie	D14/265
D436,093	S	*	1/2001	Okada et al.	D14/168
D439,227	S	*	3/2001	Okada et al.	D14/136
D455,728	S	*	4/2002	Kobayashi	D14/168
D457,880	S	*	5/2002	Suzuki et al.	D14/257
D474,755	S	*	5/2003	Senda et al.	D14/135

1 Claim, 5 Drawing Sheets





FIG. 1






FIG. 2

FIG. 3




FIG. 4





FIG. 5



UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 531,983 S
APPLICATION NO. : 29/236155
DATED : November 14, 2006
INVENTOR(S) : Yasushi Akita

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

ON THE TITLE PAGE:

Please add --Item (30)

Foreign Application Priority Data


Apr. 19, 2005

(JP) 2005-11627-- under item

“(22)”, and before item “(51)”.

Signed and Sealed this

Thirteenth Day of March, 2007

A handwritten signature in black ink on a dotted background. The signature reads "Jon W. Dudas" in a cursive style.

JON W. DUDAS

Director of the United States Patent and Trademark Office