

US00D532209S

(12) **United States Design Patent** (10) **Patent No.:** **US D532,209 S**
Rodis (45) **Date of Patent:** **** Nov. 21, 2006**

(54) **DECORATIVE BENCH BARRIER**

(76) Inventor: **Nancy J. Mayer Rodis**, 2803 Green
Shade Ct., Ellicott City, MD (US)
21042

(**) Term: **14 Years**

(21) Appl. No.: **29/180,816**

(22) Filed: **May 1, 2003**

(51) **LOC (8) Cl.** **06-01**

(52) **U.S. Cl.** **D6/335; D6/375**

(58) **Field of Classification Search** D6/334-336,
D6/349, 355, 364, 365, 374, 375, 381, 500-502,
D6/352, 357, 368, 378; D21/830; 297/118,
297/232, 248, 440.1, 440.14, 423.41, 244,
297/440.18, 249

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

2,164,715 A * 7/1939 Krainbill 297/440.14
2,430,241 A * 11/1947 Nicholas 297/118
D150,247 S * 7/1948 Nichols D6/335
2,693,847 A * 11/1954 Kablatsky 297/440.14
D212,534 S * 10/1968 Berenstein D6/335
3,469,882 A * 9/1969 Larsen 297/118
D234,100 S * 1/1975 Reiser D6/335
3,890,658 A * 6/1975 Petersilie 5/2.1
D235,908 S * 7/1975 Rosenwatch D6/335
D240,177 S * 6/1976 Petersilie D6/335
D242,304 S * 11/1976 Petersilie D6/335
4,131,314 A * 12/1978 Knapp et al. 297/248
D264,276 S * 5/1982 Poelvoorde et al. D6/335
D274,576 S * 7/1984 Tiffany D6/335
D297,449 S * 8/1988 Vigil D21/830
D298,391 S * 11/1988 Quinn D6/381
D302,215 S * 7/1989 Fontanelli D6/335
D366,966 S * 2/1996 Bonaddio et al. D6/335
5,860,704 A * 1/1999 Smith 297/440.1
D418,987 S * 1/2000 Panton D6/335
6,045,193 A * 4/2000 Johnson 297/423.41
D494,772 S * 8/2004 Kagan D6/381
D497,727 S * 11/2004 Monsalve et al. D6/355
D503,855 S * 4/2005 Best D6/335

(Continued)

Primary Examiner—Mimosa De

(74) *Attorney, Agent, or Firm*—Whitman, Curtis,
Christofferson & Cook, PC

(57) **CLAIM**

I claim the ornamental design for a decorative bench barrier,
as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a straight section of a
decorative bench barrier;

FIG. 2 is an isometric view of a curved section of a
decorative bench barrier with a 45-degree radius of curva-
ture;

FIG. 3 is an isometric view of a decorative bench barrier
shown in a circular orientation, which constructed of eight
curved sections of FIG. 2;

FIG. 4 is a side view of a decorative bench barrier shown in
a semi-circular orientation, which constructed of four curved
sections of FIG. 2;

FIG. 5 is a top view of FIG. 3;

FIG. 6 a bottom view of FIG. 3;

FIG. 7 is an isometric view of a curved section of a
decorative bench barrier with a 90-degree radius of curva-
ture;

FIG. 8 is an isometric view of a decorative bench barrier
shown in a circular orientation, which constructed of four
curved sections of FIG. 7;

FIG. 9 is a side view of a decorative bench barrier shown in
a semi-circular orientation, which constructed of two curved
sections of FIG. 7;

FIG. 10 is a top view of FIG. 8;


FIG. 11 a bottom view of FIG. 8;

FIG. 12 is a reduced top view of a decorative bench barrier
shown in a serpentine orientation, which constructed of six
curved sections of FIG. 7; and,

FIG. 13 is a reduced top view of a decorative bench barrier
shown in a U-shaped orientation, which constructed of
multiple straight and curved sections of FIGS. 2 and 7.

FIGS. 1, 2 and 7 are shown separately for ease of illustration.
The components shown in the drawings may be fixed,
omitted, movable relative to one another.

1 Claim, 8 Drawing Sheets



US D532,209 S

Page 2

U.S. PATENT DOCUMENTS				2003/0146653 A1 *	8/2003	Butler	297/440.1
				2004/0095000 A1 *	5/2004	Durling	297/440.1
D515,837 S	*	2/2006	Nicoletti	D6/381			
D518,301 S	*	4/2006	Ng et al.	D6/335	* cited by examiner		




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12




Figure 13