



US00D532209S

(12) **United States Design Patent** (10) **Patent No.:** **US D532,209 S**
Rodis (45) **Date of Patent:** **** Nov. 21, 2006**

- (54) **DECORATIVE BENCH BARRIER**
 - (76) Inventor: **Nancy J. Mayer Rodis**, 2803 Green Shade Ct., Ellicott City, MD (US) 21042
 - (**) Term: **14 Years**
 - (21) Appl. No.: **29/180,816**
 - (22) Filed: **May 1, 2003**
 - (51) **LOC (8) Cl.** **06-01**
 - (52) **U.S. Cl.** **D6/335; D6/375**
 - (58) **Field of Classification Search** D6/334-336, D6/349, 355, 364, 365, 374, 375, 381, 500-502, D6/352, 357, 368, 378; D21/830; 297/118, 297/232, 248, 440.1, 440.14, 423.41, 244, 297/440.18, 249
- See application file for complete search history.

(56) **References Cited**
U.S. PATENT DOCUMENTS

2,164,715	A	*	7/1939	Krainbill	297/440.14
2,430,241	A	*	11/1947	Nicholas	297/118
D150,247	S	*	7/1948	Nichols	D6/335
2,693,847	A	*	11/1954	Kablotsky	297/440.14
D212,534	S	*	10/1968	Berenstein	D6/335
3,469,882	A	*	9/1969	Larsen	297/118
D234,100	S	*	1/1975	Reiser	D6/335
3,890,658	A	*	6/1975	Petersilie	5/2.1
D235,908	S	*	7/1975	Rosenwatch	D6/335
D240,177	S	*	6/1976	Petersilie	D6/335
D242,304	S	*	11/1976	Petersilie	D6/335
4,131,314	A	*	12/1978	Knapp et al.	297/248
D264,276	S	*	5/1982	Poelvoorde et al.	D6/335
D274,576	S	*	7/1984	Tiffany	D6/335
D297,449	S	*	8/1988	Vigil	D21/830
D298,391	S	*	11/1988	Quinn	D6/381
D302,215	S	*	7/1989	Fontanelli	D6/335
D366,966	S	*	2/1996	Bonaddio et al.	D6/335
5,860,704	A	*	1/1999	Smith	297/440.1
D418,987	S	*	1/2000	Panton	D6/335
6,045,193	A	*	4/2000	Johnson	297/423.41
D494,772	S	*	8/2004	Kagan	D6/381
D497,727	S	*	11/2004	Monsalve et al.	D6/355
D503,855	S	*	4/2005	Best	D6/335

(Continued)

Primary Examiner—Mimosa De
(74) *Attorney, Agent, or Firm*—Whitman, Curtis, Christofferson & Cook, PC

(57) **CLAIM**

I claim the ornamental design for a decorative bench barrier, as shown and described.

DESCRIPTION

FIG. 1 is an isometric view of a straight section of a decorative bench barrier;

FIG. 2 is an isometric view of a curved section of a decorative bench barrier with a 45-degree radius of curvature;

FIG. 3 is an isometric view of a decorative bench barrier shown in a circular orientation, which constructed of eight curved sections of FIG. 2;

FIG. 4 is a side view of a decorative bench barrier shown in a semi-circular orientation, which constructed of four curved sections of FIG. 2;

FIG. 5 is a top view of FIG. 3;

FIG. 6 a bottom view of FIG. 3;

FIG. 7 is an isometric view of a curved section of a decorative bench barrier with a 90-degree radius of curvature;

FIG. 8 is an isometric view of a decorative bench barrier shown in a circular orientation, which constructed of four curved sections of FIG. 7;

FIG. 9 is a side view of a decorative bench barrier shown in a semi-circular orientation, which constructed of two curved sections of FIG. 7;

FIG. 10 is a top view of FIG. 8;


FIG. 11 a bottom view of FIG. 8;

FIG. 12 is a reduced top view of a decorative bench barrier shown in a serpentine orientation, which constructed of six curved sections of FIG. 7; and,

FIG. 13 is a reduced top view of a decorative bench barrier shown in a U-shaped orientation, which constructed of multiple straight and curved sections of FIGS. 2 and 7.

FIGS. 1, 2 and 7 are shown separately for ease of illustration. The components shown in the drawings may be fixed, omitted, movable relative to one another.

1 Claim, 8 Drawing Sheets



US D532,209 S

Page 2

U.S. PATENT DOCUMENTS		2003/0146653 A1 *	8/2003	Butler	297/440.1
		2004/0095000 A1 *	5/2004	Durling	297/440.1
D515,837 S	*	2/2006	Nicoletti	D6/381	
D518,301 S	*	4/2006	Ng et al.	D6/335	* cited by examiner




Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8




Figure 9




Figure 10




Figure 11




Figure 12




Figure 13