



US00D532324S

(12) **United States Design Patent** (10) **Patent No.:** **US D532,324 S**  
**Bayer et al.** (45) **Date of Patent:** **\*\* \*Nov. 21, 2006**

(54) **VIBRATORY ELEMENT FOR AN INERTIAL DEVICE**

(75) Inventors: **Lex Neal Bayer**, Palo Alto, CA (US);  
**Steven Porter Hotelling**, San Jose, CA (US)

(73) Assignee: **Thomson Licensing**, Billancourt (FR)

(\*) Notice: This patent is subject to a terminal disclaimer.

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/224,957**

(22) Filed: **Mar. 9, 2005**

(51) **LOC (8) Cl.** ..... **10-04**

(52) **U.S. Cl.** ..... **D10/65**

(58) **Field of Classification Search** ..... 73/1.77,  
73/503.3, 504.08, 504.18; 74/5, 5.34, 5.4,  
74/5.8, 5.9; 33/275, 321, 323, 329; 473/511,  
473/578; D21/301, 302, 312, 362, 441, 443,  
D21/573-574; D10/65

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

5,450,751	A	*	9/1995	Putty et al.	.....	73/504.18
6,443,009	B1	*	9/2002	De Salaberry	.....	73/504.13
D464,088	S	*	10/2002	Hu	.....	D21/443
D478,636	S	*	8/2003	Ansems	.....	D21/342
6,666,092	B1	*	12/2003	Zarabadi et al.	.....	73/514.02

6,686,807	B1	*	2/2004	Giousouf et al.	.....	73/504.08
6,848,305	B1	*	2/2005	Fell et al.	.....	73/504.13
6,948,368	B1	*	9/2005	Onfroy	.....	73/514.21
2004/0144174	A1	*	7/2004	Fell et al.	.....	73/504.12
2004/0231418	A1	*	11/2004	Jeong et al.	.....	73/504.08

\* cited by examiner

*Primary Examiner*—Robert A. Delehanty

*Assistant Examiner*—Mark Cavanna

(74) *Attorney, Agent, or Firm*—Joseph S. Tripoli; Vincent E. Duffy; Michael A. Pugel

(57) **CLAIM**

An ornamental design for a vibratory element for an inertial device, as shown and described.

**DESCRIPTION**

FIG. 1 is a top view of a vibratory element for an inertial device showing our new design;

FIG. 2 is a front view of the vibratory element for an inertial device;

FIG. 3 is a bottom view of the vibratory element for an inertial device;


FIG. 4 is a side view of the vibratory element for an inertial device;

FIG. 5 is a back view of the vibratory element for an inertial device;

FIG. 6 is a side view of the vibratory element for an inertial device; and,

FIG. 7 is a perspective view of the vibratory element for an inertial device.

**1 Claim, 3 Drawing Sheets**






Fig. 1




Fig. 2




Fig. 3



Fig. 4




Fig. 5




Fig. 6




Fig. 7