



US00D532539S

(12) **United States Design Patent**
Yuen

(10) **Patent No.:** **US D532,539 S**

(45) **Date of Patent:** **** Nov. 21, 2006**

(54) **FLUORESCENT WORKING LIGHT**

Primary Examiner—Marcus A. Jackson

(76) **Inventor:** **Se Kit Yuen**, 6/F., Yau Lee Centre, 45
Hoi Yuen Road, Kwun Tong, Kowloon,
Hong Kong (CN)

(57) **CLAIM**

The ornamental design for a fluorescent working light, as shown and described.

(**) **Term:** **14 Years**

DESCRIPTION

(21) **Appl. No.:** **29/220,462**

FIG. 1 is a front elevational view of a fluorescent working light showing my new design, with the cord broken away to indicate indeterminate length;

(22) **Filed:** **Dec. 30, 2004**

FIG. 2 is a rear view thereof.

(51) **LOC (8) Cl.** **26-02**

(52) **U.S. Cl.** **D26/42**

FIG. 3 is a side view thereof.

(58) **Field of Classification Search** D26/37-50;

362/157, 158, 171-174, 183-208

FIG. 4 is other side view thereof.

See application file for complete search history.

FIG. 5 is a plan view thereof.

FIG. 6 is an underneath view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

FIG. 7 is a plan view showing the light rotated 189 degree thereof; and,

D367,123 S * 2/1996 Blye D26/42

D409,776 S * 5/1999 Ghode et al. D26/42

D441,888 S * 5/2001 Haneda et al. D26/42

D501,687 S * 2/2005 Kovacik et al. D26/42

D501,688 S * 2/2005 Kovacik et al. D26/42


D504,968 S * 5/2005 Bayat et al. D26/42

FIG. 8 is a front view showing the light rotating 180 degree thereof.

The surface(s) or portion(s) of the article not shown in the drawing or described in the specification form(s) no part of the claimed design.

* cited by examiner

1 Claim, 8 Drawing Sheets






FIG. 1




FIG. 2




Fig. 3




Fig. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8