



US00D533004S

(12) **United States Design Patent** (10) **Patent No.:** **US D533,004 S**  
**Dekker et al.** (45) **Date of Patent:** **\*\* Dec. 5, 2006**

(54) **TASSEL FOR COVERINGS FOR ARCHITECTURAL OPENINGS**

(75) Inventors: **Nicolaas Dekker**, Barendrecht (NL); **Antonius Johannes Josephus Horsten**, The Hague (NL); **Johannes Robertus Maria Franssen**, Breda (NL); **Jörg Bohlen**, Langen (NL)

(73) Assignee: **Hunter Douglas Industries BV**, Rotterdam (NL)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/253,921**

(22) Filed: **Feb. 15, 2006**

**Related U.S. Application Data**

(62) Division of application No. 29/225,118, filed on Mar. 10, 2005, now Pat. No. Des. 522,787, which is a division of application No. 29/201,467, filed on Mar. 16, 2004, now Pat. No. Des. 509,692.

(30) **Foreign Application Priority Data**

Sep. 16, 2003 (EP) ..... 00075841  
Sep. 16, 2003 (EP) ..... 000110465

(51) **LOC (8) Cl.** ..... **06-10**

(52) **U.S. Cl.** ..... **D6/581**

(58) **Field of Classification Search** ..... D6/581;  
24/115 R, 115 H, 115 K; 160/178.1 R, 178.2,  
160/322, 344, 168.1

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D98,260 S 1/1936 Kuyper  
D103,354 S 2/1937 Wade et al.  
2,200,349 A 5/1940 Walker  
4,653,377 A 3/1987 Chen  
D341,744 S 11/1993 Schaefer et al.  
D353,503 S 12/1994 Belue  
5,473,797 A \* 12/1995 Wu ..... 24/115 H

5,518,056 A \* 5/1996 Voss ..... 160/178.1 R  
D372,828 S 8/1996 Sticker  
5,592,983 A \* 1/1997 Sartini et al. .... 160/178.1 R  
5,906,233 A \* 5/1999 May ..... 160/178.1 R  
D440,104 S \* 4/2001 Horsten ..... D6/581  
6,318,439 B1 11/2001 Matsubara  
6,419,001 B1 7/2002 Labbe  
6,648,048 B1 11/2003 Lai  
D509,692 S 9/2005 Dekker et al.

\* cited by examiner

*Primary Examiner*—Holly Baynham

(74) *Attorney, Agent, or Firm*—Dorsey & Whitney LLP

(57) **CLAIM**

We claim the ornamental design for a tassel for coverings for architectural openings, as shown and described.

**DESCRIPTION**

FIG. 1 is an isometric view of the tassel for coverings for architectural openings with the broken line showing of a retractable covering being for illustrative purposes only and forming no part of the claimed design;

FIG. 2 is an isometric of the tassel of FIG. 1.

FIG. 3 is a front elevation of the tassel shown in FIG. 2.

FIG. 4 is a right elevation of the tassel of FIG. 2.

FIG. 5 is a rear elevation of the tassel of FIG. 2.

FIG. 6 is a left side elevation of the tassel of FIG. 2.

FIG. 7 is a top plan view of the tassel of FIG. 2.

FIG. 8 is a bottom plan view of the tassel of FIG. 2.

FIG. 9 is an isometric view of a second embodiment of the design shown in FIG. 1 with the broken line showing of a retractable covering being for illustrative purposes only and forming no part of the claimed design;

FIG. 10 is an isometric of the tassel shown in FIG. 9.

FIG. 11 is a front elevation of the tassel of FIG. 10.

FIG. 12 is a right side elevation of the tassel of FIG. 10.


FIG. 13 is a rear elevation of the tassel of FIG. 10.


FIG. 14 is a left side elevation of the tassel of FIG. 10.

FIG. 15 is a top plan view of the tassel of FIG. 10; and,


FIG. 16 is a bottom plan view of the tassel of FIG. 10.

**1 Claim, 4 Drawing Sheets**







**Fig. 1**




**Fig. 7**




**Fig. 2**




**Fig. 3**




**Fig. 4**




**Fig. 5**




**Fig. 6**




**Fig. 8**




**Fig. 9**




**Fig. 10**




**Fig. 11**




**Fig. 12**



**Fig. 13**



**Fig. 14**



**Fig. 15**



**Fig. 16**