



(12) **United States Design Patent** (10) **Patent No.:** **US D533,040 S**
Schoen (45) **Date of Patent:** **** Dec. 5, 2006**

(54) **HAND HELD DRILL**

FOREIGN PATENT DOCUMENTS

(75) Inventor: **Klaus Schoen**, Altbach (DE)
(73) Assignee: **Robert Bosch GmbH**, Stuttgart (DE)
(**) Term: **14 Years**

GB	2048611 S	*	7/1995
GB	2065434 S	*	5/1997
GB	2096820 S	*	4/2000
GB	2097666 S	*	4/2000
GB	2097667 S	*	4/2000
GB	2097668 S	*	4/2000
GB	2097670 S	*	4/2000
GB	2104250 S	*	3/2001
GB	3000904 S	*	1/2002

(21) Appl. No.: **29/182,863**

(22) Filed: **Jun. 2, 2003**

(30) **Foreign Application Priority Data**

Dec. 3, 2002 (DE) 402 09 997

(51) **LOC (8) Cl.** **08-01**

(52) **U.S. Cl.** **D8/68**

(58) **Field of Classification Search** D8/14.1,
D8/61, 62, 63, 64, 65, 66, 67, 68, 69, 70;
81/57.11, 429, 464, 465, 466, 469, 489; 173/13,
173/169, 178, 213, 217; 227/8, 114, 120,
227/130, 136, 142; 310/50; 408/20, 124,
408/125, 234, 241 R; 451/358
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D340,394 S	*	10/1993	Okumura		D8/68
D359,215 S	*	6/1995	Zurwelle		D8/68
D362,167 S	*	9/1995	Zurwelle		D8/68
D368,009 S	*	3/1996	Zurwelle		D8/68
D386,662 S	*	11/1997	Tozawa et al.		D8/68
D392,863 S	*	3/1998	Sugimoto et al.		D8/68
D402,871 S	*	12/1998	Clowers et al.		D8/68
D402,872 S	*	12/1998	Clowers et al.		D8/68
5,918,685 A	*	7/1999	Ulbrich et al.		173/217
D419,413 S	*	1/2000	Heun		D8/68
D420,877 S	*	2/2000	Schultz		D8/68
D421,883 S	*	3/2000	Watson et al.		D8/68
D424,902 S	*	5/2000	Gildersleeve et al.		D8/68
D428,320 S	*	7/2000	Ohi et al.		D8/68

Primary Examiner—T. Chase Nelson

(74) Attorney, Agent, or Firm—Michael J. Striker

(57) **CLAIM**


The ornamental design for a hand held drill, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a first embodiment of a hand held drill showing my new design;
FIG. 2 is a side view thereof;
FIG. 3 is the opposite side view thereof;
FIG. 4 is a front view thereof;
FIG. 5 is a rear view thereof;
FIG. 6 is a top view thereof; and
FIG. 7 is a bottom view thereof.
FIG. 8 is a perspective view of a second embodiment of a hand held drill showing my new design;
FIG. 9 is a side view thereof;
FIG. 10 is the opposite side view thereof;
FIG. 11 is a front view thereof;
FIG. 12 is a rear view thereof;
FIG. 13 is a top view thereof; and
FIG. 14 is a bottom view thereof.
FIG. 15 is a perspective view of a third embodiment of a hand held drill showing my new design;
FIG. 16 is a side view thereof;
FIG. 17 is the opposite side view thereof;
FIG. 18 is a front view thereof;
FIG. 19 is a rear view thereof;
FIG. 20 is a top view thereof; and,
FIG. 21 is a bottom view thereof.

(Continued)

1 Claim, 21 Drawing Sheets



U.S. PATENT DOCUMENTS

D435,414 S	*	12/2000	Etter et al.	D8/68	D469,675 S	*	2/2003	Chung	D8/68
D436,511 S	*	1/2001	Hayakawa et al.	D8/68	D482,253 S	*	11/2003	Cooper et al.	D8/68
6,308,378 B1	*	10/2001	Mooty et al.	81/489	D496,843 S	*	10/2004	Sugawara et al.	D8/68
D460,673 S	*	7/2002	Heun	D8/68	6,840,335 B1	*	1/2005	Wu	173/217
D460,674 S	*	7/2002	Heun	D8/68	D501,779 S	*	2/2005	Watson	D8/68
D460,907 S	*	7/2002	Geis	D8/68	D506,914 S	*	7/2005	Okuda	D8/68
D462,248 S	*	9/2002	Cooper	D8/68	2003/0002934 A1	*	1/2003	Hsu	408/124
D467,147 S	*	12/2002	Watson	D8/68	2003/0066667 A1	*	4/2003	Zhang	173/217
D467,483 S	*	12/2002	Heun	D8/68	2003/0159843 A1	*	8/2003	Sakai et al.	173/217

* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21