



US00D533045S

(12) **United States Design Patent**
Schroth

(10) **Patent No.:** **US D533,045 S**

(45) **Date of Patent:** **** Dec. 5, 2006**

(54) **LOCKING OR CLOSING DEVICE**

(75) **Inventor:** **Carl-Jürgen Schroth, Soest (DE)**

(73) **Assignee:** **Schroth Safety Products GmbH, Arnsberg (DE)**

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/232,281**

(22) **Filed:** **Jun. 16, 2005**

(30) **Foreign Application Priority Data**

Dec. 28, 2004 (EM) 000272398-0001

(51) **LOC (8) Cl.** **08-06**

(52) **U.S. Cl.** **D8/300**

(58) **Field of Classification Search** D11/200–216,
D11/218; D2/639; D8/300, 310; 24/196,
24/303, 633, 634, 639, 642, 650; 280/801.1;
180/268, 270; 340/457.1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D199,674 S * 12/1964 Carlson D11/216

D200,772 S * 4/1965 Dahms D11/216

D202,186 S * 9/1965 Holmberg D11/216
4,064,603 A * 12/1977 Romanzi, Jr. 24/650
4,785,906 A * 11/1988 Kang 180/270
D302,140 S * 7/1989 Johnston D1/216
4,916,780 A * 4/1990 Ballet 24/642
5,218,744 A * 6/1993 Saito 27/303
5,898,366 A * 4/1999 Brown et al. 340/457.1
6,138,332 A * 10/2000 Mori 24/633

* cited by examiner

Primary Examiner—Paula A. Greene

(74) *Attorney, Agent, or Firm*—Henry M. Feiereisen;
Ursula B. Day

(57) **CLAIM**

The ornamental design for a locking or closing device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing my new design;
FIG. 2 is a top plan view thereof;
FIG. 3 is a bottom plan view thereof;
FIG. 4 is a right side elevational view thereof;
FIG. 5 is a left side elevational view thereof;
FIG. 6 is back elevational view thereof; and,
FIG. 7 is a front elevational view thereof.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7

