



US00D533133S

(12) **United States Design Patent** (10) **Patent No.:** **US D533,133 S**
Heinen et al. (45) **Date of Patent:** **** Dec. 5, 2006**

(54) **TIRE TREAD**

(75) Inventors: **Richard Heinen**, Habay-la-Neuve (BE);
Nicolas Claude Jean-Claude Froger,
Arlon (BE)

(73) Assignee: **The Goodyear Tire & Rubber
Company**, Akron, OH (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/243,935**

(22) Filed: **Dec. 1, 2005**

(51) **LOC (8) Cl.** **12-15**

(52) **U.S. Cl.** **D12/590; D12/901**

(58) **Field of Classification Search** D12/534,
D12/537, 551, 552, 553, 554, 555, 556, 586,
D12/587, 588, 589, 590, 591, 900; 152/209.1,
152/209.11, 209.13, 209.28
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,188,684	A	*	2/1993	Himuro	152/209.15
D342,047	S	*	12/1993	Takahashi	D12/550
D346,350	S	*	4/1994	Himuro et al.	D12/555
D383,422	S		9/1997	Kunos et al.	D12/147
D405,035	S	*	2/1999	Graas	D12/555
D429,189	S		8/2000	Boznar et al.	D12/146
D456,763	S	*	5/2002	Graas	D12/550
D501,445	S	*	2/2005	Brayer et al.	D12/553
D502,142	S	*	2/2005	Hoshi	D12/556

OTHER PUBLICATIONS

Delta Sport IV Tire, 2004 Tread Design Guide, Jan. 2004, p. 20. 2/3.*

National Sport IV Tire, 2004 Tread Design Guide, Jan. 2004, p. 45. 4/5.*

* cited by examiner

Primary Examiner—Robert M. Spear

(74) *Attorney, Agent, or Firm*—Richard B. O'Planick

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;

FIG. 2 is a front elevational view thereof;


FIG. 3 is a right side elevational view thereof; the other side being a mirror image thereof; and,

FIG. 4 is an enlarged fragmentary front elevational view thereof.

In the drawings, the broken lines defining the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

The dark stippled surface shading represents the recessed portion of the tread grooves having a depth as best shown in FIG. 2.

1 Claim, 4 Drawing Sheets






FIG-1




FIG-2




FIG-3




FIG-4